






ROPA Maus 6

Infeed conveyor and re-cleaner

E9122090 - 03.01 - Infeed conveyor duct with supporting rollers

Position	Number	Name	Description
1	100298501	Seitenteil links	
2	100298401	Seitenteil rechts	
3	100262401	side plate in rotating trestle, left e-M4	
4	100260701	side plate in rotating trestle, right e-M4	
5	252010500	idler roller with flange, TPU black ø 90/16/132, 56 mm	
6	252006100	diversion roller ø 110, drilling, ø 20, flange ø 150 ø110/20/150	
7	252010600	idler roller TPU without flange, black (with cover) ø 95/16, 60 mm	(7 + 8) = 7
8	252009700	locking cap (PU) for TPU-idler roller 252096 PU (252009600 / 252010600)	
9	414019400	M 16*95 hexagon bolt D 931 steel 8.8 ZN M16* 95 DIN931, Stahl 8.8 ZN	
10	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
11	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
12	414019500	M 16*100 hexagon bolt D 931 steel 8.8 ZN M16*100 DIN931, Stahl 8.8 ZN	
13	100310704	Distanzrohr ø 8,5*ø 15* 16 ZN	
14	418007800	washer ø 8.4 D 9021 steel Zn ø 8,4 DIN9021 Stahl ZN	
15	110091104	sleeve 16*20*74mm for diversion roller ø 16,4*ø 20* 74 ZN	
16	414019300	M 16*90 hexagon bolt D 931 steel 8.8 ZN M16* 90 DIN931, Stahl 8.8 ZN	
17	414019100	M 16*80 hexagon bolt D 931 steel 8.8 ZN M16* 80 DIN931, Stahl 8.8 ZN	
18	414018900	M 16*70 hexagon bolt D 931 steel 8.8 ZN M16* 70 DIN931, Stahl 8.8 ZN	
19	100259404	distance tube 11*40 37lg ZN ø 11*ø 40* 37 ZN	
20	414014800	M 10*70 hexagon bolt D 931 steel 8.8 ZN M10* 70 DIN931, Stahl 8.8 ZN	
21	418001500	washer ø 11 D 440 steel Zn ø 11 DIN440 Stahl ZN	
22	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
23	100267604	clamping profile, infeed conveyor duct ZN	
24	414087300	M 12*30 mushroom head square neck bolt D 603 steel 8.8 Zn M12* 30 DIN603, Stahl 8.8 ZN	
25	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
26	414035000	StM 12 lock nut D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN	
27	414027200	M 8*20 mushroom head square neck bolt D 603 steel Zn M 8* 20 DIN603, Stahl 8.8 ZN	
28	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	




ROPA Maus 6

Infeed conveyor and re-cleaner

E9122090 - 03.01 - Infeed conveyor duct with supporting rollers

Position	Number	Name	Description
29	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
30	414018600	M 16*55 hexagon bolt D 931 steel 8.8 ZN M16* 55 DIN931, Stahl 8.8 ZN	
31	414003500	M 10*25 hexagon bolt D 933 steel 8.8 ZN M10* 25 DIN933, Stahl 8.8 ZN	
32	418011000	safety washer S 10 Zn S 10 ZN	
33	418007500	washer ø 17 D 9021 steel Zn ø 17 DIN9021 Stahl ZN	
34	415004900	groove stone M 16 D 508 grade 8 M16 DIN 508 Güte 8 ZN	
35	100298600	PE-Platte 2000* 340*15	
36	414027400	M 8*35 mushroom head square neck bolt D 603 steel Zn M 8* 35 DIN603, Stahl 8.8 ZN	
37	100310600	Scheibe Innenvierkant ø 35* 8,5x8,5* 2	
38	418003000	washer ø 17 D 7349 steel Zn ø 17 DIN7349 Stahl ZN	
39	017000900	Loctite 243 50 ml medium strength 243 - 50 ml	





ROPA Maus 6

Infeed conveyor and re-cleaner

E9122091 - 03.02 - Infeed conveyor ejector with drive

Position	Number	Name	Description
1	100260701	side plate in rotating trestle, right e-M4	
2	100262401	side plate in rotating trestle, left e-M4	
3	414064500	M 12*70 socket head screw D 912 steel 8.8 ZN M12* 70 DIN912, Stahl 8.8 ZN	
4	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
5	414035000	StM 12 lock nut D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN	
6	414027200	M 8*20 mushroom head square neck bolt D 603 steel Zn M 8* 20 DIN603, Stahl 8.8 ZN	
7	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
8	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
9	100230901	Drive shaft	
10	252005400	Drive wheel TL50, ø210,5, ø70/100	
11	100245301	bearing plate for infeed conveyor drive	
12	100245201	motor holder OMV, adjustable, infeed conveyor, 2010- OMV	
13	240008610	bearing TME 50 TME 50	
14	414005900	M 12*45 hexagon bolt D 933 steel 8.8 ZN M12* 45 DIN933, Stahl 8.8 ZN	
15	414005500	M 12*25 hexagon bolt D 933 steel 8.8 ZN M12* 25 DIN933, Stahl 8.8 ZN	
16	414016300	M 12*70 hexagon bolt D 931 steel 8.8 ZN M12* 70 DIN931, Stahl 8.8 ZN	
17	414071300	M 16*280 hexagon bolt D 933 steel 8.8 ZN M16*280 DIN933, Stahl 8.8 ZN	
18	414031600	M 16 hexagon nut D 934 steel 8 ZN M16 DIN934, Stahl 8 ZN	
19	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
20	414009700	M 20*40 hexagon bolt D 933 steel 8.8 ZN M20* 40 DIN933, Stahl 8.8 ZN	
21	418000700	washer ø 21 D 125 steel Zn ø 21 DIN125 A Stahl ZN	
22	206009700	groove stone M 20 D 508 grade 8 M20 DIN 508 - Gr. 22 Güte 8 ZN	
23	272015301	hydraulic motor OMV 400 sensor mounting OMV 400	
24	272006900	sealing set for OMV OMV	
25	414018800	M 16*65 hexagon bolt D 931 steel 8.8 ZN M16* 65 DIN931, Stahl 8.8 ZN	
26	412037000	drilling sleeve 16*26*16 D 179 B 16*26*16 DIN179 B	
27	418003000	washer ø 17 D 7349 steel Zn ø 17 DIN7349 Stahl ZN	
28	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
29	412008300	parallel key 14*9*70 D 6885 A 14* 9* 70 DIN6885 A	





ROPA Maus 6

Infeed conveyor and re-cleaner

E9122091 - 03.02 - Infeed conveyor ejector with drive

Position	Number	Name	Description
30	320065700	speed sensor DSM1 with cable and plug	(30 + 31) = 30
31	412056800	O-ring 8.5*1 Viton 8,5* 1 Viton	
32	414055200	M 6*12 socket head screw D 912 steel 8.8 ZN M 6*12 DIN912, Stahl 8.8 ZN	
33	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
34	100237500	rubber, infeed conveyor ejection e-M4 1997* 540*13	
35	414003700	M 10*35 hexagon bolt D 933 steel 8.8 ZN M10* 35 DIN933, Stahl 8.8 ZN	
36	418001500	washer ø 11 D 440 steel Zn ø 11 DIN440 Stahl ZN	
37	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
38	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
39	100244901	bracket for infeed conveyor apron e-M4	
40	414008600	M 16*50 hexagon bolt D 933 steel 8.8 ZN M16* 50 DIN933, Stahl 8.8 ZN	
41	414027900	M 10*35 mushroom head square neck bolt D 603 steel Zn M10* 35 DIN603, Stahl 8.8 ZN	
42	.	.	siehe Kapitel 23
43	360007800	extension M 10*1k - M 10*1 18mm M 10*1k - M 10*1 - 18mm	
44	360001900	angle -screwing WE 6 M 10*1k 6 LLM 10*1 keg	







ROPA Maus 6

Infeed conveyor and re-cleaner







E9122092 - 03.03 - Retract infeed conveyor

Position	Number	Name	Description
1	251005700	soil chain central belt TL 50 complete, for e-M4 TL 50 - 16517 mm e-M4, RM5, RM6	
2	100269404	tensioner M16 - 352 mm	
3	252010500	idler roller with flange, TPU black ø 90/16/132, 56 mm	
4	414019300	M 16*90 hexagon bolt D 931 steel 8.8 ZN M16* 90 DIN931, Stahl 8.8 ZN	
5	418003000	washer ø 17 D 7349 steel Zn ø 17 DIN7349 Stahl ZN	
6	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
7	414031600	M 16 hexagon nut D 934 steel 8 ZN M16 DIN934, Stahl 8 ZN	
8	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
9	424003600	heating hose NW 15 NW 15*3,5 D 73411 60 m	- 240mm




E9122093 - 03.04 - Sieve conveyor for infeed conveyor

Position	Number	Name	Description
1	251005700	soil chain central belt TL 50 complete, for e-M4 TL 50 - 16517 mm e-M4, RM5, RM6	
2	208003600	Waist belt carrier (9 fingers) PU, a trough 9 Finger	
3	208001900	cleaning shutter segment PU TL 50 160mm wide PU TL 50 - 160 mm	für 1 Reinigungsklappe 4 Stück notwendig
4	252004800	riveted bar ø 11, straight, 794 lg ø11 x 794 mm, ø6- LA30	zum Nieten
5	252000900	riveted bar ø 11, straight, 794 lg with screw thread M 6 ø11 x 794 mm, M6-LA30	mit Gewinde - M6
6	252004900	riveted bar ø 12.5, straight, 794 lg ø12,5 x 794 mm, ø6-LA30	zum Nieten
7	252001500	riveted bar ø 12.5, straight, 794 lg with screw thread M 6 ø12,5 x 794 mm, M6-LA30	mit Gewinde - M6
8	252003600	riveted hardened LA 30 - 6	zum Nieten
9	252003900	riveted (with screw thread M 6) M6 - LA 30 mm	mit Gewinde - M6
10	412019600	countersunk-head rivet 6*30 D 661 steel 6*30 DIN661 Stahl	
11	412034800	countersunk-head rivet 6*27 D 661 steel 6*27 DIN661 Stahl	
12	412004900	countersunk-head rivet 6*25 D 661 steel 6*25 DIN661 Stahl	
13	414047700	M 6*30 countersunk screw D 7991 steel 10.9 M 6* 30 DIN7991 Stahl 10.9 - ISO 10642	
14	414054400	M 6*25 countersunk screw D 7991 steel 10.9 M 6* 25 ISO10642, ZN Stahl 10.9	
15	414048200	StM 6 lock nut D 980 steel 8 Zn M 6 DIN980, Stahl 8 ZN	
15	.	.	
20	TE0000015	Accessories for strainer chain repair ! Please order the following parts !	
20	252004300	vulcanizing cement + activator 500ml	ersetzt durch 252004320
20	252004320	Kleber + Verstärker Siebkette 650g	
21	017007800	Roughening 500 ml	
22	252006400	repair piece belt 75mm, TL 50 TL 50, Gurt 75	
23	018003200	tool to bond a belt TL 50 (doubletrip) TL 50 mm	
24	018000500	clamp to bond a belt	
25	252012200	Verstärkerlösung 40g	






ROPA Maus 6

Infeed conveyor and re-cleaner

E9122094 - 03.05 - Energy chain for recleaner

Position	Number	Name	Description
1	100290201	Kettenglied außen	
2	100290301	Kettenglied innen	
3	100290400	Distanzscheibe PA ø 10,5*ø 29,8*ø 39* 13	
4	100290500	Scheibe Innenvierkant ø 35* 10,5x10,5* 2,5	
5	100290604	Klemmprofil Befestigungsgummi	
6	100290700	Gummi Nachreiniger 204* 44*25 / 65 Shore	
7	100297504	Führungswinkel ZN	
8	414028000	M 10*40 mushroom head square neck bolt D 603 steel Zn M10* 40 DIN603, Stahl 8.8 ZN	
9	418002700	washer ø 10.5 D 7349 steel Zn ø 10,5 DIN7349 Stahl ZN	
10	418008900	washer ø 10.5 D 9021 steel Zn ø 10,5 DIN9021 Stahl ZN	
11	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
12	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
13	414027900	M 10*35 mushroom head square neck bolt D 603 steel Zn M10* 35 DIN603, Stahl 8.8 ZN	
14	414011200	M 6*100 hexagon bolt D 931 steel 8.8 ZN M 6*100 DIN931, Stahl 8.8 ZN	
15	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
16	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
17	100294704	Verdrehsicherung ZN	
18	414001900	M 8*25 hexagon bolt D 933 steel 8.8 ZN M 8* 25 DIN933, Stahl 8.8 ZN	
19	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
20	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	










ROPA Maus 6

Infeed conveyor and re-cleaner

E9122095 - 03.06.1 - Suspension - recleaner - rear-top -

Position	Number	Name	Description
1	100243701	Suspension e-M4, RM5, RM6	bis Fg.Nr. 8P1695
1	100382001	Aufhängung außen e-M4, RM5, RM6	ab Fg.Nr. 8P1696
2	100309001	Einhängekonsole hinten	
3	100242801	Suspension	
4	100242701	holding device for pinch roller suspension	
5	100243004	bearing housing for GE 40 DO, ø 115mm	
6	240002300	spherical plain bearing GE 40 DO 2 RS GE 40 DO 2 RS	
7	412006500	snap ring J 62 D 472 J 62 DIN472	
8	100242904	Cover disk ø 12,2*ø 61* 8 ZN	
9	414005500	M 12*25 hexagon bolt D 933 steel 8.8 ZN M12* 25 DIN933, Stahl 8.8 ZN	
10	414005800	M 12*40 hexagon bolt D 933 steel 8.8 ZN M12* 40 DIN933, Stahl 8.8 ZN	
11	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
12	414035000	StM 12 lock nut D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN	
13	412002300	grease nipple H1 M 8*1 M 8*1	
14	100101404	sleeve in rotary block upper part ø 20*ø 30*ø 40* 25 ZN	
15	414009900	M 20*50 hexagon bolt D 933 steel 8.8 ZN M20* 50 DIN933, Stahl 8.8 ZN	
16	418000700	washer ø 21 D 125 steel Zn ø 21 DIN125 A Stahl ZN	
17	414009400	M 16*140 hexagon bolt D 933 steel 8.8 ZN M16*140 DIN933, Stahl 8.8 ZN	
18	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
19	414031600	M 16 hexagon nut D 934 steel 8 ZN M16 DIN934, Stahl 8 ZN	
20	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
21	414018600	M 16*55 hexagon bolt D 931 steel 8.8 ZN M16* 55 DIN931, Stahl 8.8 ZN	
22	418003000	washer ø 17 D 7349 steel Zn ø 17 DIN7349 Stahl ZN	
23	100309104	Scheibe ø 60* ø 20,5*10 ZN	
24	414009700	M 20*40 hexagon bolt D 933 steel 8.8 ZN M20* 40 DIN933, Stahl 8.8 ZN	



E9122096 - 03.06.2 - Suspension - recleaner - rear-top -

Position	Number	Name	Description
1	100243701	Suspension e-M4, RM5, RM6	bis Fg.Nr. 8P1695
1	100382001	Aufhängung außen e-M4, RM5, RM6	ab Fg.Nr. 8P1696
2	276024601	hydraulic cylinder/swivel cleaner 60*30*650 stroke 60*30*650, spezial	
3	276075700	sealing set cpl. for cyl, 60*30 60*30	
4	414032100	M 24 hexagon nut D 934 steel 8 Zn M24 DIN934, Stahl 8 ZN	
5	100274704	bearing housing GE 35 FO with extension M24 ø 62 (GE 35 FO)	
6	240024000	spherical plain bearing GE 35 FO 2 RS GE 35 FO 2 RS	
7	412006500	snap ring J 62 D 472 J 62 DIN472	
8	100274900	guidance block pair PA ø 41.6, 2 bores ø12.4 + bushes, 30 30* 85* 58*ø 41,6	
9	100275004	cover plate for guidance block pair, PA ZN 85*30* 5 ZN 2x ø13	
10	414094200	M 12 * 95 hexagon bolt D 931 steel 8.8 ZN M12* 95 DIN931, Stahl 8.8 ZN	
11	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
12	414035000	StM 12 lock nut D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN	
13	414008200	M 16*30 hexagon bolt D 933 steel 8.8 ZN M16* 30 DIN933, Stahl 8.8 ZN	
14	418001800	washer ø 17.5 D 440 steel Zn ø 17,5 DIN440 Stahl ZN	
15	860099300	threaded tree rod pre-assembled, 500 mm, 0° twisted(16 - 18) = 15	
16	100275100	Gewindestange gebogen M 8* 464, 15°	
17	210000500	angle joint M8 right M 8	
18	414031200	M 8 hexagon nut D 934 steel 8 ZN M 8 DIN934, Stahl 8 ZN	
19	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
20	120266404	steering arm - shear body steering ZN ZN	
21	240019100	bearing 6001 2 RS 1 6001 2 RS 1	
22	120110704	bearing bolt - share bodysteering ZN	
23	414013400	M 8*75 hexagon bolt D 931 steel 8.8 ZN M 8* 75 DIN931, Stahl 8.8 ZN	
24	412037200	shim ring 12*18*1 12* 18*1 DIN988	
25	418001400	washer ø 9 D 440 steel Zn ø 9 DIN440 Stahl ZN	
26	600041000	threaded tree rod pre assembl.	(27 - 31) = 26
27	120180400	threaded tree rod M 6 l/r 60mm M 6* 60 l/r	
28	210000600	angle joint M6 right M 6	





ROPA Maus 6

Infeed conveyor and re-cleaner

E9122096 - 03.06.2 - Suspension - recleaner - rear-top -

Position	Number	Name	Description
29	210000700	angle joint M6 left M 6	
30	414031100	M 6 hexagon nut D 934 steel 8 ZN M 6 DIN934, Stahl 8 ZN	
31	414086500	M 6 hexagon nut D 934 left steel 8 M 6 DIN934, Stahl 8 ZN	
32	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
33	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
34	120337600	lever extension for potentiometer (+ 16mm hole distance) + 16mm	
35	320089100	Winkelgeber 4-20 mA, +-37,5°, 10-30V	(35 - 37) = 35
36	320062500	operating lever for angle transmitter 320602	
37	412064300	roll pin 2*14 D 1481 2* 14 DIN1481	
38	322025400	connector 3 way AMP Superseal 1.5 sleeve contact AMP Superseal 1,5	
39	414053400	M 6*16 socket head screw D 912 steel 8.8 Zn M 6* 16 DIN912, Stahl 8.8 ZN	
40	415001800	M 4*20 hexagon bolt D 933 steel 8.8 ZN M 4* 20 DIN933, Stahl 8.8 ZN	
41	418006700	washer ø 4.3 D 125 steel Zn ø 4,3 DIN125 A Stahl ZN	
42	414045300	StM 4 lock nut D 985 steel 8 Zn M 4 DIN985, Stahl 8 ZN	
43	100274604	Screw-on plate ZN	
44	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
45	412021400	shim ring 35*45*2 D 988 35* 45*2 DIN988	






ROPA Maus 6

Infeed conveyor and re-cleaner

**E9122602 - 03.12 - Suspension - sieve conveyor recleaner
- front-bottom**

Position	Number	Name	Description
1	100282301	Suspension	
2	100282401	Cover	
3	100241700	Thrust washer ø101*ø150* 3	
4	230004200	sleeve 10095 MBZ 10095 MBZ ø100*ø105* 95	
5	100241201	bearing tube	
6	100241904	Support disc	
7	412063400	snap ring AS 100*4 D 471 heavy model AS 100*4 DIN471	
8	360003800	swivel joint M 10*1k M 10*1k	
9	414008200	M 16*30 hexagon bolt D 933 steel 8.8 ZN M16* 30 DIN933, Stahl 8.8 ZN	
10	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
11	414020900	M 20*70 hexagon bolt D 931 steel 8.8 ZN M20* 70 DIN931, Stahl 8.8 ZN	
12	418000700	washer ø 21 D 125 steel Zn ø 21 DIN125 A Stahl ZN	
13	414035300	StM 20 lock nut D 985 steel 8 ZN M20 DIN985, Stahl 8 ZN	
14	100101404	sleeve in rotary block upper part ø 20*ø 30*ø 40* 25 ZN	
15	414001800	M 8*20 hexagon bolt D 933 steel 8.8 ZN M 8* 20 DIN933, Stahl 8.8 ZN	
16	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
17	418003100	washer ø 21 D 7349 steel Zn ø 21 DIN7349 Stahl ZN	
18	360001900	angle -screwing WE 6 M 10*1k 6 LLM 10*1 keg	

E9122631 - 03.21 - Suspension - pinch roller recleaner - front-bottom





ROPA Maus 6

Infeed conveyor and re-cleaner

E9122631 - 03.21 - Suspension - pinch roller recleaner - front-bottom

Position	Number	Name	Description
1	299024301	gear pinch roller cleaner e-M4 e-M4, RM5, RM6 incl OMV315	
2	100242301	roller bearing	
3	100242201	roller bearing lever	
4	100242100	Thrust washer ø105,5*ø200* 3	
5	100241800	Thrust washer ø105,5*ø119,5* 3	
6	274004200	O ring 117.07*3.53 NBR 70 (for A4VG180) 117.07* 3.53 Viton	
7	412061900	O-ring 42.52*2.62 NBR 70 42,52* 2,62 NBR 70	
8	100242404	Sealing disk	
9	414008100	M 16*25 hexagon bolt D 933 steel 8.8 ZN M16* 25 DIN933, Stahl 8.8 ZN	
10	100241700	Thrust washer ø101*ø150* 3	
11	230004200	sleeve 10095 MBZ 10095 MBZ ø100*ø105* 95	
12	100241201	bearing tube	
13	100241904	Support disc	
14	412063400	snap ring AS 100*4 D 471 heavy model AS 100*4 DIN471	
15	360003800	swivel joint M 10*1k M 10*1k	
16	414008200	M 16*30 hexagon bolt D 933 steel 8.8 ZN M16* 30 DIN933, Stahl 8.8 ZN	
17	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
18	100242004	Cover angle ZN	
19	414001800	M 8*20 hexagon bolt D 933 steel 8.8 ZN M 8* 20 DIN933, Stahl 8.8 ZN	
20	418007800	washer ø 8.4 D 9021 steel Zn ø 8,4 DIN9021 Stahl ZN	
21	414010100	M 20*60 hexagon bolt D 933 steel 8.8 ZN M20* 60 DIN933, Stahl 8.8 ZN	
22	418000700	washer ø 21 D 125 steel Zn ø 21 DIN125 A Stahl ZN	
23	100101404	sleeve in rotary block upper part ø 20*ø 30*ø 40* 25 ZN	
24	276024301	hydraulic cylinder/push pinch roller cleaner, front 50*25*70 50*25* 70, 2L4ø10==M20x1,5	
25	276075800	sealing set cpl. for cyl, 50*25 50*25	
26	100253404	bracket for tappet switch at swivel plate, ZN ZN	
27	412018000	hose clip 60-80 Zn 60 - 80, 12 mm breit, ZN	
28	320075600	tappet switch, metal, cable 200mm with Deutsch-plug	
29	414036100	FIM 20*1.5 thin nut D 936 steel 22H Zn M20* 1,5	




ROPA Maus 6

Infeed conveyor and re-cleaner

E9122631 - 03.21 - Suspension - pinch roller recleaner - front-bottom

Position	Number	Name	Description
29	414036100	DIN936, Stahl 22H ZN	
30	100272704	Connection flange ZN	
31	120253100	Guide block pair PA ø 30.2, 4 Holes ø10.5 50* 63* 40*ø 30,2	
32	120253204	cover plate for PA bearing shell ZN ZN	
33	414014800	M 10*70 hexagon bolt D 931 steel 8.8 ZN M10* 70 DIN931, Stahl 8.8 ZN	
34	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
35	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
36	150364900	Büchse ø100*ø105* 20	
37	360001900	angle -screwing WE 6 M 10*1k 6 LLM 10*1 keg	





ROPA Maus 6

Infeed conveyor and re-cleaner

**E9122635 - 03.21 - Aufhängung -
Zwickwalzennachreiniger - vorne-unten - mit**

Position	Number	Name	Description
1	299040601	Getriebe 8 Zwickwalzen RM6 montiert, ohne A2 FM 80 BR 70	
2	100392901	Walzenlagerung RM6 mit A2 FM 80 BR 70 F	
3	100393001	Hebel Walzenlagerung RM6 A2 FM 80 BR 70 F	
4	100242100	Thrust washer ø105,5*ø200* 3	
5	100241800	Thrust washer ø105,5*ø119,5* 3	
6	274004200	O ring 117.07*3.53 NBR 70 (for A4VG180) 117.07* 3.53 Viton	
7	412061900	O-ring 42.52*2.62 NBR 70 42,52* 2,62 NBR 70	
8	100242404	Sealing disk	
9	414008100	M 16*25 hexagon bolt D 933 steel 8.8 ZN M16* 25 DIN933, Stahl 8.8 ZN	
10	100241700	Thrust washer ø101*ø150* 3	
11	230004200	sleeve 10095 MBZ 10095 MBZ ø100*ø105* 95	
12	100241201	bearing tube	
13	100241904	Support disc	
14	412063400	snap ring AS 100*4 D 471 heavy model AS 100*4 DIN471	
15	360003800	swivel joint M 10*1k M 10*1k	
16	414008200	M 16*30 hexagon bolt D 933 steel 8.8 ZN M16* 30 DIN933, Stahl 8.8 ZN	
17	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
18	100242004	Cover angle ZN	
19	414001800	M 8*20 hexagon bolt D 933 steel 8.8 ZN M 8* 20 DIN933, Stahl 8.8 ZN	
20	418007800	washer ø 8.4 D 9021 steel Zn ø 8,4 DIN9021 Stahl ZN	
21	414010100	M 20*60 hexagon bolt D 933 steel 8.8 ZN M20* 60 DIN933, Stahl 8.8 ZN	
22	418000700	washer ø 21 D 125 steel Zn ø 21 DIN125 A Stahl ZN	
23	100101404	sleeve in rotary block upper part ø 20*ø 30*ø 40* 25 ZN	
24	276024301	hydraulic cylinder/push pinch roller cleaner, front 50*25*70 50*25* 70, 2L4ø10==M20x1,5	
25	276075800	sealing set cpl. for cyl, 50*25 50*25	
26	100253404	bracket for tappet switch at swivel plate, ZN ZN	
27	412018000	hose clip 60-80 Zn 60 - 80, 12 mm breit, ZN	
28	320075600	tappet switch, metal, cable 200mm with Deutsch-plug	
29	414036100	FIM 20*1.5 thin nut D 936 steel 22H Zn M20* 1,5	





ROPA Maus 6

Infeed conveyor and re-cleaner

**E9122635 - 03.21 - Aufhängung -
Zwickwalzennachreiniger - vorne-unten - mit**

Position	Number	Name	Description
29	414036100	DIN936, Stahl 22H ZN	
30	100272704	Connection flange ZN	
31	120253100	Guide block pair PA ø 30.2, 4 Holes ø10.5 50* 63* 40*ø 30,2	
32	120253204	cover plate for PA bearing shell ZN ZN	
33	414014800	M 10*70 hexagon bolt D 931 steel 8.8 ZN M10* 70 DIN931, Stahl 8.8 ZN	
34	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
35	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
36	150364900	Büchse ø100*ø105* 20	
37	360001900	angle -screwing WE 6 M 10*1k 6 LLM 10*1 keg	





ROPA Maus 6

Infeed conveyor and re-cleaner

E9122662 - 03.31 - Suspension - stone remover - front-

Position	Number	Name	Description
1	100338101	Suspension	
2	414020900	M 20*70 hexagon bolt D 931 steel 8.8 ZN M20* 70 DIN931, Stahl 8.8 ZN	
3	418000700	washer ø 21 D 125 steel Zn ø 21 DIN125 A Stahl ZN	
4	100101404	sleeve in rotary block upper part ø 20*ø 30*ø 40* 25 ZN	
5	418003100	washer ø 21 D 7349 steel Zn ø 21 DIN7349 Stahl ZN	
6	414035300	StM 20 lock nut D 985 steel 8 ZN M20 DIN985, Stahl 8 ZN	
7	100282401	Cover	
8	414001800	M 8*20 hexagon bolt D 933 steel 8.8 ZN M 8* 20 DIN933, Stahl 8.8 ZN	
9	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
10	360001900	angle -screwing WE 6 M 10*1k 6 LLM 10*1 keg	
11	100241700	Thrust washer ø101*ø150* 3	
12	100241201	bearing tube	
13	230004200	sleeve 10095 MBZ 10095 MBZ ø100*ø105* 95	
14	100241904	Support disc	
15	412063400	snap ring AS 100*4 D 471 heavy model AS 100*4 DIN471	
16	360003800	swivel joint M 10*1k M 10*1k	
17	414008200	M 16*30 hexagon bolt D 933 steel 8.8 ZN M16* 30 DIN933, Stahl 8.8 ZN	
18	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	