






ROPA Maus 6

Truck conveyor

E9122110 - 04.01 - Swivel arm

Position	Number	Name	Description
1	100293301	Schwenkarm e-M4 2012-, RM5, RM6	
2	100263401	locking ramp	
3	100263501	bar for locking ramp	
4	100285304	hydraulic line holder on swivel arm, ZN ZN	
5	100241400	PA plate for swivel cylinder support	
6	100257604	spacer 2.5mm under swivel cylinder e-M4, ZN 2,5 mm ZN	nach Bedarf
7	414045500	M 10*40 countersunk screw D 7991 steel 10.9 M10* 40 ISO10642, Stahl 8.8 ZN	
8	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
9	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
10	206009800	webbing circumference 700mm *25 width 700* 25	
11	414014700	M 10*65 hexagon bolt D 931 steel 8.8 ZN M10* 65 DIN931, Stahl 8.8 ZN	
12	415072000	Sechskantschraube M27* 2*280 DIN960 Stahl 10.9, flZnnc	
13	414088400	StM 27*2 lock nut D 985 steel 10.9 Zn M27* 2 DIN985, Stahl ZN 10.9	
14	414009400	M 16*140 hexagon bolt D 933 steel 8.8 ZN M16*140 DIN933, Stahl 8.8 ZN	
15	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
16	414031600	M 16 hexagon nut D 934 steel 8 ZN M16 DIN934, Stahl 8 ZN	
17	100286204	holding angle for grease brush, rear right on the SA, ZN ZN	
18	278001300	pair of clamps ø 6 black ø 6	
19	278000104	Weld-on plate Gr.1 - 36* 30 - 20 ZN	
20	414011100	M 6*35 hexagon bolt D 931 steel 8.8 ZN M 6* 35 DIN931, Stahl 8.8 ZN	
21	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
22	285017400	hydraulic pipe d 6 130mm STKL ø 6* 130 mm	
23	414001800	M 8*20 hexagon bolt D 933 steel 8.8 ZN M 8* 20 DIN933, Stahl 8.8 ZN	
24	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
25	285052300	hydraulic pipe d 6 95mm STKL ø 6* 95 mm	
26	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
27	360002400	grease brush e-M4,RM5,RM6	
28	100281304	holding angle for grease brush in direction of travel right, ZN	
29	100281204	holding angle for grease brush in direction of travel left, ZN	




ROPA Maus 6

Truck conveyor

E9122110 - 04.01 - Swivel arm

Position	Number	Name	Description
30	360004200	straight screwing 6mm (pipe connector) 6 LL	
31	100288104	holding angle for grease brush rear left on the SA, ZN	
32	414002000	M 8*30 hexagon bolt D 933 steel 8.8 ZN M 8* 30 DIN933, Stahl 8.8 ZN	
33	100350904	Distanzrohr ø 28,5*ø 44,5* 129,5	
34	414008500	M 16*45 hexagon bolt D 933 steel 8.8 ZN M16* 45 DIN933, Stahl 8.8 ZN	
35	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
36	100301801	Screw-on plate	
37	320100900	Arbeitsscheinwerfer LED Scorpius, 12-24V 1800 Lumen - 28 W	
38	414008600	M 16*50 hexagon bolt D 933 steel 8.8 ZN M16* 50 DIN933, Stahl 8.8 ZN	
39	017000900	Loctite 243 50 ml medium strength 243 - 50 ml	
39	.	.	
40	TE0000019	Variant - Camera model ! Please order the following parts !	
40	320102900	Video-Kamera digital M12-Stecker + DTM 120° Ethernet	bis Fg.Nr. 8R1812 // ersetzt durch 320110500
40	320110500	Video-Kamera digital M12-Stecker + DTM 120 Grad Ethernet Ark Vision Software ROPA	
41	320110500	Video-Kamera digital M12-Stecker + DTM 120 Grad Ethernet Ark Vision Software ROPA	ab Fg.Nr. 8R1813
42	415001800	M 4*20 hexagon bolt D 933 steel 8.8 ZN M 4* 20 DIN933, Stahl 8.8 ZN	
43	418006500	washer ø 4.3 D 9021 steel Zn ø 4,3 DIN9021 Stahl ZN	
44	414045300	StM 4 lock nut D 985 steel 8 Zn M 4 DIN985, Stahl 8 ZN	



E9122111 - 04.02 - Swivel arm bearing and locking

Position	Number	Name	Description
1	100293301	Schwenkarm e-M4 2012-, RM5, RM6	
2	100244701	sprocket Z8 for swivel drive Z 8	
3	100283500	sealing ring Vulkocell 132*190*12 132*190*12	
4	100284304	bearing flange cover for GE120DO e-M4 (SA top) 2011 GE120 DO e-M4 2011-, RM5	
5	240029200	Gelenklager GE120 DO 2 RS	
6	100284204	bearing flange cover for GE120 e-M4 (SA, counterweight arm t GE120 DO e-M4 2011-, RM5	
7	100266801	Protective plate for hydraulic lines	
8	100284604	cover sheet, deep-drawn for bearing flange e-M4 2011-	
9	412045300	roll pin 8*16 D 1481 8* 16 DIN1481	
10	100284404	bearing flange for GE120DO e-M4 (SA bottom) 2011- GE120 DO e-M4, RM5	
11	100294301	Bearing flange for thrust bearing swivel joint e-M4 GE 80 AX e-M4, RM5	
12	100268001	retaining bracket for rubber cover	
13	100268100	rubber cover for bearing flange 300* 180*10, 2x ø 11 e-M4, RM5	
14	415072100	Sechskantschraube M24* 2* 50 Stahl 8.8 flZnnc DIN961	
15	418012700	spring lock washer/Limes ring ø 24 similar to D 74361 C ø 24	
16	414020900	M 20*70 hexagon bolt D 931 steel 8.8 ZN M20* 70 DIN931, Stahl 8.8 ZN	
17	418000700	washer ø 21 D 125 steel Zn ø 21 DIN125 A Stahl ZN	
18	414041500	M 8*25 countersunk screw D 7991 steel 8.8 Zn M 8* 25 ISO10642, Stahl 8.8 ZN	
19	100306101	Schlauchführung	
20	414024000	M 8*40 socket head screw D 912 steel 8.8 ZN M 8* 40 DIN912, Stahl 8.8 ZN	
21	414021300	M 20*100 hexagon bolt D 931 steel 8.8 ZN M20*100 DIN931, Stahl 8.8 ZN	
22	414027400	M 8*35 mushroom head square neck bolt D 603 steel Zn M 8* 35 DIN603, Stahl 8.8 ZN	
23	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
24	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
25	100278501	locking plate for swivel arm e-M4, RM5	
26	100282801	swivel arm locking lever e-M4	
27	230000300	sleeve 8040 MBZ 8040 MBZ ø 80*ø 85* 40	
28	100273801	washer for locking bolt e-M4	
29	414008100	M 16*25 hexagon bolt D 933 steel 8.8 ZN M16* 25	



ROPA Maus 6

Truck conveyor

E9122111 - 04.02 - Swivel arm bearing and locking

Position	Number	Name	Description
29	414008100	DIN933, Stahl 8.8 ZN	
30	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
31	412002400	grease nipple H1 M10*1 DIN 71412 A M10*1	
32	100282900	swivel arm locking roller e-M4	
33	100283004	Bolzen mit Lasche ø 50* 83,8/ 97	
34	230005100	sleeve 5030 MBZ 5030 MBZ ø 50*ø 55* 30	
35	412003900	snap ring A 50 D 471 A 50 DIN471	
36	414003400	M 10*20 hexagon bolt D 933 steel 8.8 ZN M10* 20 DIN933, Stahl 8.8 ZN	
37	412002300	grease nipple H1 M 8*1 M 8*1	
38	414021400	M 20*110 hexagon bolt D 931 steel 8.8 ZN M20*110 DIN931, Stahl 8.8 ZN	
39	414035300	StM 20 lock nut D 985 steel 8 ZN M20 DIN985, Stahl 8 ZN	
40	100282604	distance tube 21*30 11lg, ZN ø 21*ø 30* 11 ZN	
41	100283104	guide bar for swivel arm locking spring	
42	214006000	Druckfeder ø 60*ø10*335	
43	414077300	FIM 36*2 thin nut D 936 steel 17H Zn M36* 2 DIN936, Stahl 17H ZN	
44	276024301	hydraulic cylinder/push pinch roller cleaner, front 50*25*70 50*25* 70, 2L4ø10==M20x1,5	
45	276075800	sealing set cpl. for cyl, 50*25 50*25	
46	120253100	Guide block pair PA ø 30.2, 4 Holes ø10.5 50* 63* 40*ø 30,2	
47	120253204	cover plate for PA bearing shell ZN ZN	
48	100272704	Connection flange ZN	
49	414014800	M 10*70 hexagon bolt D 931 steel 8.8 ZN M10* 70 DIN931, Stahl 8.8 ZN	
50	320075600	tappet switch, metal, cable 200mm with Deutsch-plug	
51	414019100	M 16*80 hexagon bolt D 931 steel 8.8 ZN M16* 80 DIN931, Stahl 8.8 ZN	
52	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
53	414036100	FIM 20*1.5 thin nut D 936 steel 22H Zn M20* 1,5 DIN936, Stahl 22H ZN	
54	414001900	M 8*25 hexagon bolt D 933 steel 8.8 ZN M 8* 25 DIN933, Stahl 8.8 ZN	
55	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
56	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
57	110063704	rubber opposite support 250lg, 2-200 ZN 250mm, 2- 200 ZN	




ROPA Maus 6

Truck conveyor

E9122111 - 04.02 - Swivel arm bearing and locking

Position	Number	Name	Description
58	418007800	washer ø 8.4 D 9021 steel Zn ø 8,4 DIN9021 Stahl ZN	
59	100295600	Drucklager Schwenkarm GE 80 AX special	
60	100294500	Befestigungsflansch unten e-M4 2012-, RM5	
61	240022900	cylinder roller RC 9*14 C RC 9*14 C	
62	415001100	M 20*80 hexagon bolt D 933 steel 10.9 ZN M20* 80 DIN933, ZN Stahl 10.9	
63	414097200	M 12*75 socket head screw D 912 steel 10.9 M12* 75 DIN912 Stahl 10.9	
64	412053200	O-ring 183.7*3.53 NBR 70 183,7* 3,53 NBR 70	
65	360006400	straight -screwing GE 6 M 10*1k 6 LLM 10*1 keg	
66	420001100	cutting ring S-6 L S- 6 L	
67	420000100	connection nut M 6 L 12*1.5 6 LM 12/1,5	
68	360001100	PA-pipe 6*1.5 filled with grease 6*1,5	- 0,50 m
69	100344300	Distanzring ø165*ø179,5* 2,5	nach Bedarf
70	100344500	Distanzring ø165*ø179,5* 3	nach Bedarf
70	.	.	
80	TE0000021	Assembly tool ! Please order the following parts !	
80	017000900	Loctite 243 50 ml medium strength 243 - 50 ml	
81	017001100	fast cleaner 70636 AC LOS 2000 EURO-LOCK	
82	017011400	sealing compound 310 ml LOCTITE 23970 - cartridge 310 ml LOCTITE 5399 Hochtemperatursilikon	
83	435004200	Optimol gel white T 1 kg can 1 kg	
84	435008200	Hochleistungsfettpaste weiß 500 gr	
85	015047200	grease gun with reinforced rubber hose and mouthpiece	






ROPA Maus 6

Truck conveyor

E9122112 - 04.03 - Swivel arm chain guide with hydraulic cylinder

Position	Number	Name	Description
1	100293301	Schwenkarm e-M4 2012-, RM5, RM6	
2	100233702	chain for swivel drive	
3	276027911	Hydraulikzylinder WMS Schwenkantrieb 100*50*1550, spezial Büter	
4	276033111	Hydraulikzylinder Schwenkantrieb 100*50*1550, spezial Büter	
5	276028011	Hydraulikzylinder WMS Schwenkantrieb 100*50*1213, spezial Büter	
6	276033211	Hydraulikzylinder Schwenkantrieb 100*50*1240, spezial Büter	
7	412013600	roll pin 8*60 D 1481 8* 60 DIN1481	
8	100252304	Bolzen mit Kopf ø 50* 90/ 106	
9	330049110	Kabel Schwenkarm / Überlader X703 DT04-4P / 2x M12 / 120 Ohm	bis Fg.Nr. 8R**** / ersetzt durch 330049120
9	330049120	Kabel Schwenkarm / Überlader X703 2x DT04-4P / 2x M12 /	ab Fg.Nr. 8S****
10	412013700	roll pin 8*70 D 1481 8* 70 DIN1481	
11	100252204	Bolzen mit Kopf ø 30* 53/ 69	
12	322055800	Abschlusswiderstand 120 Ohm DT06-4P	







ROPA Maus 6

Truck conveyor

E9122113 - 04.04 - Hydraulic cylinder - swivel arm - truck conveyor

Position	Number	Name	Description
1	276027911	Hydraulikzylinder WMS Schwenkantrieb 100*50*1550, spezial Büter	
2	276028011	Hydraulikzylinder WMS Schwenkantrieb 100*50*1213, spezial Büter	
3	276033111	Hydraulikzylinder Schwenkantrieb 100*50*1550, spezial Büter	
4	276033211	Hydraulikzylinder Schwenkantrieb 100*50*1240, spezial Büter	
5	276079710	Dichtsatz Hydraulikzylinder 100*50, spezial Büter	
6	270043300	seat valve cartridge 2/2 way WSM 06020 W-01-M-C-WSM, M20 x 1,5, ø 18 mm 24V, WSM 06020 W01MCN24 DN 01	
7	270060200	seal kit for seat valve cartridge 2/2 way 270433 Hydac WSM 06020	
8	270045900	magnet for Hydac seat valve (ø 18 inside), Deut WSM 06020 ø 36/18mm x 40mm	
9	270049100	nut PVC M18*1.5 (for bellows) for WSM valve M18*1, 5 Hydac	
10	270049200	rubber bellows (manual emergency operation) for PVC nut 2704 WSM 06020	
11	420038900	measuring connection 1/4" 1/4"	
12	270078600	Druckbegrenzungspatrone Hydac DB4E-01X-250V 30 l/min - 630 bar	
13	412021100	O ring 17*2 17* 2 NBR 70	
14	412040500	O ring 11*2 NBR 90 11* 2 NBR 90	
15	270079300	Rückschlagventilpatrone Schwenkantrieb SAE08 - CVC0.S08.AY.000 50 l/min - 420 bar	
16	412056500	O-Ring 9,19* 2,62 NBR 70	
17	414025900	M 8*50 socket head screw D 912 steel 8.8 ZN M 8* 50 DIN912, Stahl 8.8 ZN	
18	270084600	Steuerblock Schwenkantrieb 1x WSM06020, 1x DB4E, 1x RV08 e-M4, RM5/6, 2010-	
19	276080200	Entlüftungsventil M 6*31,5	
20	264007200	Gummikappe für Entlüftungsventile	
21	420006100	hydraulic fitting GE 15 LR 1/2" 15 LR 1/2" ED	
22	420005500	hydraulic fitting GE 10 LR 3/8" 10 LR 3/8" ED	
23	017015900	Copper paste 100 gr Tube 100 gr	





ROPA Maus 6

Truck conveyor

E9122114 - 04.05 - Swivel support

Position	Number	Name	Description
1	100293401	Schwenkbock	
2	100344401	Spanngabel Schwenkbock DR 60,3* 8,8 e-M4 2012-, RM5	
3	100244801	sprocket Z6 for swivel drive Z 6	
4	100283400	sealing ring Vulkocell 139*180*25 139*180*25	
5	412064600	Sicherungsring J 180 DIN472	
6	240029200	Gelenklager GE120 DO 2 RS	
7	100337904	Lagerflansch angesenkt GE120 DO e-M4, RM5 (8*1220-)	
8	100294000	shim ring 30*42*1 D 988 120,5*138*3	
9	100256901	washer ø130 / 2xø22 ø130 / 2x ø 22	
10	100283704	supporting ring for Vulkocell	
11	246010000	felt cord Fl. 5*4 1600 mm Fl. 5* 4mm	
12	100252104	Deckel Schlauchabweiser	
13	415072100	Sechskantschraube M24* 2* 50 Stahl 8.8 flZnnc DIN961	
14	418012700	spring lock washer/Limes ring ø 24 similar to D 74361 C ø 24	
15	415002700	M 24*2*90 hexagon bolt D 960 steel 8.8 M24* 2* 90 DIN960, Stahl 8.8	
16	100252401	distance tube 24.8*42.4 20lg ø 24,8*ø 42,4* 20	
17	418000900	washer ø 25 D 125 steel Zn ø 25 DIN125 A Stahl ZN	
18	415002500	StM 24*2 lock nut D 985 steel 8.8 ZN M24* 2 DIN985, Stahl 8 ZN	
19	415002000	M 20*35 socket head screw D 912 steel 8.8 M20* 35 DIN912, Stahl 8.8	
20	414009700	M 20*40 hexagon bolt D 933 steel 8.8 ZN M20* 40 DIN933, Stahl 8.8 ZN	
21	418000700	washer ø 21 D 125 steel Zn ø 21 DIN125 A Stahl ZN	
22	414009800	M 20*45 hexagon bolt D 933 steel 8.8 ZN M20* 45 DIN933, Stahl 8.8 ZN	
23	415072400	Sechskantschraube M27* 2*220 DIN961 Stahl 10.9, flZnnc	
24	415002800	M 27*2 hexagon nut D 934 steel 8 ZN M27* 2 DIN934, Stahl 8 ZN	
25	100280601	wear plate, truck conveyor frame 2010, on the left at the in	
26	100280701	wear plate, truck conveyor frame 2010, on the right at the i	
27	414063900	M 10*25 mushroom head square neck bolt D 603 steel Zn M10* 25 DIN603, Stahl 8.8 ZN	
28	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
29	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl	




ROPA Maus 6

Truck conveyor

E9122114 - 04.05 - Swivel support

Position	Number	Name	Description
29	414034900	8 ZN	
30	100295001	Schutzblech	
31	414024300	M 10*30 socket head screw D 912 steel 8.8 ZN M10*30 DIN912, Stahl 8.8 ZN	
32	360006400	straight -screwing GE 6 M 10*1k 6 LLM 10*1 keg	
33	420001100	cutting ring S-6 L S- 6 L	
34	420000100	connection nut M 6 L 12*1.5 6 LM 12/1,5	
35	360001100	PA-pipe 6*1.5 filled with grease 6*1,5	- 0,50 m
36	100310904	Bolzen mit Lasche ø 27* 41/ 62	
37	100337804	Locking plate 2x SW30 68 * 114 mm, t=8mm	
38	418009900	spring lock washer /limes ring ø 20 D 74361 C ø 20 DIN74361 C ZN	
38	.	.	
40	TE0000021	Assembly tool ! Please order the following parts !	
40	435004200	Optimol gel white T 1 kg can 1 kg	
41	435008200	Hochleistungsfettpaste weiß 500 gr	
42	015047200	grease gun with reinforced rubber hose and mouthpiece	





ROPA Maus 6

Truck conveyor

E9122115 - 04.06 - Swivel frame - side parts with support rollers

Position	Number	Name	Description
1	100257101	swivel frame side part e-M4 in direction of travel left links e-M4	
2	100257001	swivel frame side part e-M4 in direction of travel right rechts e-M4	
3	100073901	Wiper	
4	100073700	rubber loader wiper 640* 130*15	
5	100074004	rubber opposite support 640lg, 7-100 ZN 640mm, 7-100 ZN	
6	414027400	M 8*35 mushroom head square neck bolt D 603 steel Zn M 8* 35 DIN603, Stahl 8.8 ZN	
7	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
8	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
9	252006600	diversion roller ø 110, drilling, ø 20, flange ø 165 ø110/20/165	
10	110091104	sleeve 16*20*74mm for diversion roller ø 16,4*ø 20* 74 ZN	
11	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
12	414019800	M 16*130 hexagon bolt D 931 steel 8.8 ZN M16*130 DIN931, Stahl 8.8 ZN	
13	100112401	holder for stone protection spring rubber right	rechts
14	100112501	holder for stone protection spring rubber left	links
15	100112600	rubber for stone protection spring 150*80*15 150* 80*15	
16	414003600	M 10*30 hexagon bolt D 933 steel 8.8 ZN M10* 30 DIN933, Stahl 8.8 ZN	
17	418001500	washer ø 11 D 440 steel Zn ø 11 DIN440 Stahl ZN	
18	414044200	M 16*40 mushroom head square neck bolt D 603 steel 4.6 Zn M16* 40 DIN603, Stahl 8.8 ZN	
19	418001800	washer ø 17.5 D 440 steel Zn ø 17,5 DIN440 Stahl ZN	
20	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
21	100017604	tensioner 250mm, 2 holes ø 17 (2x) - M16 - 235mm	
22	414031600	M 16 hexagon nut D 934 steel 8 ZN M16 DIN934, Stahl 8 ZN	
23	252010600	idler roller TPU without flange, black (with cover) ø 95/16, 60 mm	(23 + 24) = 23
24	252009700	locking cap (PU) for TPU-idler roller 252096 PU (252009600 / 252010600)	
25	414019300	M 16*90 hexagon bolt D 931 steel 8.8 ZN M16* 90 DIN931, Stahl 8.8 ZN	
26	120014204	distance tube 16.9*26.9 20lg ZN ø 16,9*ø 26,9* 20 ZN	
27	252010500	idler roller with flange, TPU black ø 90/16/132, 56 mm	
28	414019600	M 16*110 hexagon bolt D 931 steel 8.8 ZN M16*110 DIN931, Stahl 8.8 ZN	




ROPA Maus 6

Truck conveyor

E9122115 - 04.06 - Swivel frame - side parts with support rollers

Position	Number	Name	Description
29	418003000	washer ø 17 D 7349 steel Zn ø 17 DIN7349 Stahl ZN	
30	100253604	bolt ø27 / 2xM16 ø 27* 41/ 62 ZN	
31	414018800	M 16*65 hexagon bolt D 931 steel 8.8 ZN M16* 65 DIN931, Stahl 8.8 ZN	
32	414008100	M 16*25 hexagon bolt D 933 steel 8.8 ZN M16* 25 DIN933, Stahl 8.8 ZN	
33	414008500	M 16*45 hexagon bolt D 933 steel 8.8 ZN M16* 45 DIN933, Stahl 8.8 ZN	





ROPA Maus 6

Truck conveyor

E9122116 - 04.07 - Swivel frame - side parts with rubber aprons

Position	Number	Name	Description
1	100257101	swivel frame side part e-M4 in direction of travel left links e-M4	
2	100257001	swivel frame side part e-M4 in direction of travel right rechts e-M4	
3	100280601	wear plate, truck conveyor frame 2010, on the left at the in	
4	100280701	wear plate, truck conveyor frame 2010, on the right at the i	
5	100256600	swivel frame rubber, side part 2850* 503,7*10	
6	100256401	top rubber opposite support, swivel frame e-M4, ZN 2063mm	
7	100305601	rubber opposite support (LH)	
8	100257201	diagonal brace in swivel frame e-M4	
9	100256704	rear rubber holder, swivel frame ZN	
10	100071800	rubber loader over diversion 980* 400*15	
11	100075904	rubber opposite support 950lg, 7-150 ZN 950mm, 7-150 ZN	
12	100091604	Support	
13	100257401	diagonal brace in swivel frame e-M4	
14	100257304	Eye bolt M20 / ø17, ZN	
15	210007100	turnbuckle DIN 1479 M 20 Zn M20 DIN1479 ZN (95mm)	
16	414088700	Flat nut left thread M20 DIN936, steel ZN M20 DIN936, Stahl ZN	
17	414037000	FIM 20 thin nut D 936 steel 17H Zn M20 DIN936, Stahl 17H ZN	
18	100289004	Belt fender in the swivel block, ZN	
19	414008500	M 16*45 hexagon bolt D 933 steel 8.8 ZN M16* 45 DIN933, Stahl 8.8 ZN	
20	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
21	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
22	414027300	M 8*30 mushroom head square neck bolt D 603 steel Zn M 8* 30 DIN603, Stahl 8.8 ZN	
23	414027400	M 8*35 mushroom head square neck bolt D 603 steel Zn M 8* 35 DIN603, Stahl 8.8 ZN	
24	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
25	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
26	414002000	M 8*30 hexagon bolt D 933 steel 8.8 ZN M 8* 30 DIN933, Stahl 8.8 ZN	
27	418007800	washer ø 8.4 D 9021 steel Zn ø 8,4 DIN9021 Stahl ZN	
28	414063900	M 10*25 mushroom head square neck bolt D 603 steel Zn M10* 25 DIN603, Stahl 8.8 ZN	




ROPA Maus 6

Truck conveyor

E9122116 - 04.07 - Swivel frame - side parts with rubber aprons

Position	Number	Name	Description
29	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
30	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
31	414027500	M 8*40 mushroom head square neck bolt D 603 steel Zn M 8* 40 DIN603, Stahl 8.8 ZN	
32	418001400	washer ø 9 D 440 steel Zn ø 9 DIN440 Stahl ZN	
33	100305701	rubber opposite support (RH)	
34	415077600	Scharschraube M 8* 30 Stahl 8.8 ZN	



E9122117 - 04.08 - Truck conveyor - support rollers and accessories

Position	Number	Name	Description
1	100275411	Überlader-Rahmen e-M4, RM5, RM6	
2	252010600	idler roller TPU without flange, black (with cover) ø 95/16, 60 mm	
3	252009700	locking cap (PU) for TPU-idler roller 252096 PU (252009600 / 252010600)	
4	414019300	M 16*90 hexagon bolt D 931 steel 8.8 ZN M16* 90 DIN931, Stahl 8.8 ZN	
5	414018800	M 16*65 hexagon bolt D 931 steel 8.8 ZN M16* 65 DIN931, Stahl 8.8 ZN	
6	252010500	idler roller with flange, TPU black ø 90/16/132, 56 mm	
7	252015200	Tragrolle elastisch ø100/16, 66 mm	
8	414019300	M 16*90 hexagon bolt D 931 steel 8.8 ZN M16* 90 DIN931, Stahl 8.8 ZN	
9	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
10	414019200	M 16*85 hexagon bolt D 931 steel 8.8 ZN M16* 85 DIN931, Stahl 8.8 ZN	
11	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
12	110080304	distance tube 16.9*26.9 40lg ZN ø 16,9*ø 26,9* 40 ZN	
13	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
14	100310904	Bolzen mit Lasche ø 27* 41/ 62	
15	418001800	washer ø 17.5 D 440 steel Zn ø 17,5 DIN440 Stahl ZN	
16	414008100	M 16*25 hexagon bolt D 933 steel 8.8 ZN M16* 25 DIN933, Stahl 8.8 ZN	
17	414018800	M 16*65 hexagon bolt D 931 steel 8.8 ZN M16* 65 DIN931, Stahl 8.8 ZN	
18	100281101	Cover	
19	414000300	M 6*20 hexagon bolt D 933 steel 8.8 ZN M 6* 20 DIN933, Stahl 8.8 ZN	
20	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
21	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
22	320089100	Winkelgeber 4-20 mA, +-37,5°, 10-30V	(22 - 24) = 22
23	320062500	operating lever for angle transmitter 320602	
24	412064300	roll pin 2*14 D 1481 2* 14 DIN1481	
25	322025400	connector 3 way AMP Superseal 1.5 sleeve contact AMP Superseal 1,5	
26	414089400	M 4*16 hexagon bolt D 933 steel 8.8 ZN M 4* 16 DIN933, Stahl 8.8 ZN	
27	418006700	washer ø 4.3 D 125 steel Zn ø 4,3 DIN125 A Stahl ZN	
28	414045300	StM 4 lock nut D 985 steel 8 Zn M 4 DIN985, Stahl 8 ZN	




ROPA Maus 6

Truck conveyor

E9122117 - 04.08 - Truck conveyor - support rollers and accessories

Position	Number	Name	Description
29	600041000	threaded tree rod pre assembl.	(30 - 34) = 29
30	120180400	threaded tree rod M 6 l/r 60mm M 6* 60 l/r	
31	210000700	angle joint M6 left M 6	
32	210000600	angle joint M6 right M 6	
33	414086500	M 6 hexagon nut D 934 left steel 8 M 6 DIN934, Stahl 8 ZN	
34	414031100	M 6 hexagon nut D 934 steel 8 ZN M 6 DIN934, Stahl 8 ZN	
35	414000200	M 6*16 hexagon bolt D 933 steel 8.8 ZN M 6* 16 DIN933, Stahl 8.8 ZN	
36	414037100	M 6 long nut steel 5.8 Zn M 6* 30, Stahl 5.8 ZN 30 mm	
37	414005500	M 12*25 hexagon bolt D 933 steel 8.8 ZN M12* 25 DIN933, Stahl 8.8 ZN	





ROPA Maus 6

Truck conveyor

E9122118 - 04.09 - Truck conveyor - wear plates and hydraulic cylinder(s)

Position	Number	Name	Description
1	100275411	Überlader-Rahmen e-M4, RM5, RM6	
2	100280201	wear plate, truck conveyor frame 2010-, on the left at the i	
3	100280301	wear plate, truck conveyor frame 2010-, on the right at the	
4	100279200	PE plate, truck conveyor 2300x330x15 2300* 330*15	
5	100279300	PE plate, truck conveyor intake 473x330x15 473* 330*15	
6	414027300	M 8*30 mushroom head square neck bolt D 603 steel Zn M 8* 30 DIN603, Stahl 8.8 ZN	
7	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
8	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
9	414002000	M 8*30 hexagon bolt D 933 steel 8.8 ZN M 8* 30 DIN933, Stahl 8.8 ZN	
10	418001400	washer ø 9 D 440 steel Zn ø 9 DIN440 Stahl ZN	
11	276010711	Hydraulikzylinder 70*40*1100-1	
12	276075600	sealing set cpl. for cyl, 70*40 70*40	
13	414050200	FIM 24*1.5 thin nut D 936 steel 17H Zn M24* 1,5 DIN936, Stahl 17H ZN	
14	210005300	ball joint M 24*1.5 internal thread, ball ø 24, M24*1,5 - ø 24,1 ZN	
15	100079904	bolt ø 24 59mm NL ZN ø 24* 59/ 73 ZN	
16	418000900	washer ø 25 D 125 steel Zn ø 25 DIN125 A Stahl ZN	
17	412013300	roll pin 6*40 D 1481 6* 40 DIN1481	
18	110017404	bolt ø 22 62mm NL ZN ø 22* 62/ 76 ZN	
19	418000800	washer ø 23 D 125 steel Zn ø 23 DIN125 A Stahl ZN	
20	276000901	hydraulic cylinder /loader lift 70*30*800 70*30*800, Kø22==Kø22, EL1050	
21	276075000	sealing set cpl. for cyl, 70*30 70*30 Greipl	
22	100292301	Hydraulic line bracket loader e-M4	
23	100292104	bolt ø 22 95mm NL ZN ø 22* 95/ 113 ZN	
24	100280504	bolt ø 22 182mm NL ZN ø 22* 182/ 204 ZN	
25	110057404	distance tube 22*30 30lg ø 22*ø 30* 30 ZN	
26	100292401	guide console left for hydraulic line bracket	
27	100292501	guide console right for hydraulic line bracket	
28	100292204	Spacer Tube 22.8 * 31.8 28lg ZN ø 22,8*ø 31,8* 28 ZN	
29	214005200	tension spring 40*5*361 premium steel 40*5*361	




ROPA Maus 6

Truck conveyor

E9122118 - 04.09 - Truck conveyor - wear plates and hydraulic cylinder(s)

Position	Number	Name	Description
30	414027800	M 10*30 mushroom head square neck bolt D 603 steel Zn M10* 30 DIN603, Stahl 8.8 ZN	
31	418006800	washer ø 10.5 D 9021 polyamide ø 10,5 DIN9021 Polyamid	
32	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
33	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
34	100306004	Kette ø 4 - 19* 8 / 23	
35	414000300	M 6*20 hexagon bolt D 933 steel 8.8 ZN M 6* 20 DIN933, Stahl 8.8 ZN	
36	418007700	washer ø 6.4 D 9021 steel Zn ø 6,4 DIN9021 Stahl ZN	
37	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
38	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
39	418007800	washer ø 8.4 D 9021 steel Zn ø 8,4 DIN9021 Stahl ZN	
40	276078200	piston rod ø 40 for 276107 + 276135 ø 40	
41	270012200	line break valve 3/8" 50 l/min -insert - 3/8" - 50 l/min	





ROPA Maus 6

Truck conveyor

E9122119 - 04.10 - Truck conveyor articulation - support rollers

Position	Number	Name	Description
1	100374101	Überlader-Knick lang RM6	
2	100379101	Seitenteil rechts Wiegerahmen RM6	
3	100379001	Seitenteil links Wiegerahmen RM6	
4	100379301	Verbindungsrohr Wiegerahmen RM6	
5	100379201	Verbindungsstange Wiegerahmen RM6	
6	100380404	Haltelasche Verbindungsrohr M16 RM6, Wiegerahmen	
7	100380504	Haltelasche Verbindungsrohr M16 LH RM6, Wiegerahmen	
8	414031600	M 16 hexagon nut D 934 steel 8 ZN M16 DIN934, Stahl 8 ZN	
9	414082500	M 20 hexagon nut D 934 left steel 8 M16 DIN934, Stahl 8 ZN	
10	230007100	Gummilager Ultrabuchse ø 12* ø 26* 32* 36 55 Shore, vulkanisiert	
11	414110400	Linienflanschschraube M12* 65 ISO7380-2, ZN Stahl 10.9	
12	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
13	414035000	StM 12 lock nut D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN	
14	414016100	M 12*60 hexagon bolt D 931 steel 8.8 ZN M12* 60 DIN931, Stahl 8.8 ZN	
15	414008800	M 16*60 hexagon bolt D 933 steel 8.8 ZN M16* 60 DIN933, Stahl 8.8 ZN	
16	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
17	100379804	Buchse mit Bund ø 16,5*ø 30*ø 35* 26	
18	240023400	spherical plain bearing GE 30 DO 2 RS GE 30 DO 2 RS	
19	412024200	snap ring J 47 D 472 J 47 DIN472	
20	100377401	Verbindungshebel Überlader RM6 rechts	nicht bei Waage
21	100380001	Verbindungshebel Überlader RM6 links	nicht bei Waage
22	414008600	M 16*50 hexagon bolt D 933 steel 8.8 ZN M16* 50 DIN933, Stahl 8.8 ZN	nicht bei Waage
23	418007500	washer ø 17 D 9021 steel Zn ø 17 DIN9021 Stahl ZN	nicht bei Waage
24	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
25	100379504	Buchse mit Bund ø 16,5*ø 24,5*ø 35* 16,5	nicht bei Waage
26	414005500	M 12*25 hexagon bolt D 933 steel 8.8 ZN M12* 25 DIN933, Stahl 8.8 ZN	
27	252015300	Tragrolle elastisch m. Flansch außen anschrauben ø100/16/140, 56 mm	
28	414019300	M 16*90 hexagon bolt D 931 steel 8.8 ZN M16* 90 DIN931, Stahl 8.8 ZN	



ROPA Maus 6


Truck conveyor

E9122119 - 04.10 - Truck conveyor articulation - support rollers

Position	Number	Name	Description
29	252010600	idler roller TPU without flange, black (with cover) ø 95/16, 60 mm	(29 + 30) = 29
30	252009700	locking cap (PU) for TPU-idler roller 252096 PU (252009600 / 252010600)	
31	414018800	M 16*65 hexagon bolt D 931 steel 8.8 ZN M16* 65 DIN931, Stahl 8.8 ZN	
32	252010500	idler roller with flange, TPU black ø 90/16/132, 56 mm	
33	414019800	M 16*130 hexagon bolt D 931 steel 8.8 ZN M16*130 DIN931, Stahl 8.8 ZN	
34	100018604	distance tube 16.9*26.9 32lg ZN ø 16,9*ø 26,9* 32 ZN	
35	414019200	M 16*85 hexagon bolt D 931 steel 8.8 ZN M16* 85 DIN931, Stahl 8.8 ZN	
36	412024400	hexagon socket pipe plug M 8*1 D 906 M 8*1 DIN906	
37	412002300	grease nipple H1 M 8*1 M 8*1	
38	435003600	Optimol gel white T 100 gr tube 100 gr	

Description

Waage - siehe Sonderausstattung





ROPA Maus 6

Truck conveyor

E9122120 - 04.11 - Truck conveyor articulation - drive

Position	Number	Name	Description
1	100334601	Drive shaft	
2	100334801	motor holder OMV with headlight holder OMV	
3	414016400	M 12*75 hexagon bolt D 931 steel 8.8 ZN M12* 75 DIN931, Stahl 8.8 ZN	
4	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
5	414035000	StM 12 lock nut D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN	
6	414005500	M 12*25 hexagon bolt D 933 steel 8.8 ZN M12* 25 DIN933, Stahl 8.8 ZN	
7	414008600	M 16*50 hexagon bolt D 933 steel 8.8 ZN M16* 50 DIN933, Stahl 8.8 ZN	
8	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
9	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
10	100334901	lever	
11	214006400	Zugfeder 40*5*286 ZN	
12	276012001	hydraulic cylinder /seperation conveyor tensioning ø25 60 ø 25mm, -->60, 1L1ø22==1L1ø22 EL188	
13	276077500	sealing set cpl. for Plunger cyl, 25*60 40*25	
14	276060300	piston rod ø 25 for 276120 ø 25	
15	414003400	M 10*20 hexagon bolt D 933 steel 8.8 ZN M10* 20 DIN933, Stahl 8.8 ZN	
16	418002700	washer ø 10.5 D 7349 steel Zn ø 10,5 DIN7349 Stahl ZN	
17	414018900	M 16*70 hexagon bolt D 931 steel 8.8 ZN M16* 70 DIN931, Stahl 8.8 ZN	
18	412068600	Bohrbuchse 16,1*26*28 DIN179 B	
19	278009800	pair of clamps ø 25 heavy B. ø 25	
20	120156704	cover plate for guidance block soil separators, central adju 70* 30 - 45 - ø11	
21	414004500	M 10*75 hexagon bolt D 933 steel 8.8 ZN M10* 75 DIN933, Stahl 8.8 ZN	
22	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
23	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
24	414056300	M 24*60 hexagon bolt steel 8.8 ZN M24* 60, Stahl 8.8 ZN DIN 933 - 414010700	
25	252006900	Drive wheel TL40	
26	272015301	hydraulic motor OMV 400 sensor mounting OMV 400	
27	272006900	sealing set for OMV OMV	
28	320065700	speed sensor DSM1 with cable and plug	(28 + 29) = 28
29	412056800	O-ring 8.5*1 Viton 8,5* 1 Viton	




ROPA Maus 6

Truck conveyor

E9122120 - 04.11 - Truck conveyor articulation - drive

Position	Number	Name	Description
30	414055200	M 6*12 socket head screw D 912 steel 8.8 ZN M 6* 12 DIN912, Stahl 8.8 ZN	
31	240011100	bearing unit TSHE 40 TSHE 40	
32	240005000	insert rolling bearing GE 40 KPPB 3 GE 40 KTT-B	
33	360002000	angle -screwing WE 6 R 1/8k 6 LLR 1/8" keg	
34	100380301	Spannlasche Antriebswelle RM6	
35	414005700	M 12*35 hexagon bolt D 933 steel 8.8 ZN M12* 35 DIN933, Stahl 8.8 ZN	
36	414005800	M 12*40 hexagon bolt D 933 steel 8.8 ZN M12* 40 DIN933, Stahl 8.8 ZN	
37	302011000	Eye bolt M12*125, ZN	
38	414031400	M 12 hexagon nut D 934 steel 8 ZN M12 DIN934, Stahl 8 ZN	
39	017000900	Loctite 243 50 ml medium strength 243 - 50 ml	
40	435003600	Optimol gel white T 100 gr tube 100 gr	





ROPA Maus 6

Truck conveyor

E9122121 - 04.12 - Truck conveyor articulation - wear plates with rubber apron

Position	Number	Name	Description
1	100374101	Überlader-Knick lang RM6	bis Fg.Nr. 8S1893
1	100390601	Überlader-Knick lang RM6 - 2025-	ab Fg.Nr. 8S1894
2	100279100	PE plate, truck conveyor articulation 2990x330x15 2990* 330*15	
3	100130600	rubber loader, long, ejection 1530*1000*10	
4	100379400	PE-Platte Überlader 800* 750* 6	
5	100336501	Bracket for side skirt loaderlong	
6	414027300	M 8*30 mushroom head square neck bolt D 603 steel Zn M 8* 30 DIN603, Stahl 8.8 ZN	
7	418007800	washer ø 8.4 D 9021 steel Zn ø 8,4 DIN9021 Stahl ZN	
8	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
9	414027200	M 8*20 mushroom head square neck bolt D 603 steel Zn M 8* 20 DIN603, Stahl 8.8 ZN	
10	100336701	Verbindungsleiste rechts	bis Fg.Nr. 8S1893
11	100336601	Verbindungsleiste links	bis Fg.Nr. 8S1893
12	120119904	rubber opposite support 500lg, 4-150 ZN 500mm, 4- 150 ZN	bis Fg.Nr. 8S1893
13	414044200	M 16*40 mushroom head square neck bolt D 603 steel 4.6 Zn M16* 40 DIN603, Stahl 8.8 ZN	
14	414008600	M 16*50 hexagon bolt D 933 steel 8.8 ZN M16* 50 DIN933, Stahl 8.8 ZN	
15	414008500	M 16*45 hexagon bolt D 933 steel 8.8 ZN M16* 45 DIN933, Stahl 8.8 ZN	
16	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
17	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
18	418001400	washer ø 9 D 440 steel Zn ø 9 DIN440 Stahl ZN	
19	355085200	Platte beidseitig bedruckt RM6 ROPA	
20	414054000	M 6*16 fillister head screw steel 10.9 ZN with flange c M 6* 16 ISO7380-2, ZN Stahl 10.9	
21	418007700	washer ø 6.4 D 9021 steel Zn ø 6,4 DIN9021 Stahl ZN	
22	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
23	100380100	PA-Führungsleiste RM6	
24	414057600	M 8*60 socket head screw D 912 steel 8.8 ZN M 8* 60 DIN912, Stahl 8.8 ZN	
25	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
26	414027400	M 8*35 mushroom head square neck bolt D 603 steel Zn M 8* 35 DIN603, Stahl 8.8 ZN	
27	414061500	M 8*50 mushroom head square neck bolt D 603 steel Zn M 8* 50 DIN603, Stahl 8.8 ZN	




ROPA Maus 6

Truck conveyor

E9122121 - 04.12 - Truck conveyor articulation - wear plates with rubber apron

Position	Number	Name	Description
28	100392404	Gummigegenhalter gekantet 380mm, 3-150 ZN	ab Fg.Nr. 8S1894
29	414027500	M 8*40 mushroom head square neck bolt D 603 steel Zn M 8* 40 DIN603, Stahl 8.8 ZN	





ROPA Maus 6

Truck conveyor

E9122122 - 04.13 - Truck conveyor articulation - potentiometer & camera

Position	Number	Name	Description
1	100379901	Potiabdeckung RM6	
2	414001800	M 8*20 hexagon bolt D 933 steel 8.8 ZN M 8* 20 DIN933, Stahl 8.8 ZN	
3	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
4	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
5	320089100	Winkelgeber 4-20 mA, +-37,5°, 10-30V	(5 - 7) = 5
6	320062500	operating lever for angle transmitter 320602	
7	412064300	roll pin 2*14 D 1481 2* 14 DIN1481	
8	322025400	connector 3 way AMP Superseal 1.5 sleeve contact AMP Superseal 1,5	
9	414089400	M 4*16 hexagon bolt D 933 steel 8.8 ZN M 4* 16 DIN933, Stahl 8.8 ZN	
10	418006700	washer ø 4.3 D 125 steel Zn ø 4,3 DIN125 A Stahl ZN	
11	414045300	StM 4 lock nut D 985 steel 8 Zn M 4 DIN985, Stahl 8 ZN	
12	120457500	lever extension for potentiometer PIS topper + 80 mm	
13	414053400	M 6*16 socket head screw D 912 steel 8.8 Zn M 6* 16 DIN912, Stahl 8.8 ZN	
14	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
15	691018100	Gewindestange v-mont., 260 mm, 180° verdreht RT6S - 2019- # RT6 - 2015-2020 RP2S - 2020- # RT5-2014-2016	(16 - 20) = 15
16	100267100	threaded tree rod M 6 l/r 230mm M 6* 230 l/r	
17	210000600	angle joint M6 right M 6	
18	210000700	angle joint M6 left M 6	
19	414031100	M 6 hexagon nut D 934 steel 8 ZN M 6 DIN934, Stahl 8 ZN	
20	414086500	M 6 hexagon nut D 934 left steel 8 M 6 DIN934, Stahl 8 ZN	
21	320100900	Arbeitsscheinwerfer LED Scorpius, 12-24V 1800 Lumen - 28 W	
22	320007200	fastening bracket for spot lights 4-hole	
23	414054000	M 6*16 fillister head screw steel 10.9 ZN with flange c M 6* 16 ISO7380-2, ZN Stahl 10.9	
24	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
24	.	.	
30	TE0000019	Variant - Camera model ! Please order the following parts !	
30	320102900	Video-Kamera digital M12-Stecker + DTM 120° Ethernet	bis Fg.Nr. 8R1812 // ersetzt durch 320110500 und 100385700




ROPA Maus 6

Truck conveyor

**E9122122 - 04.13 - Truck conveyor articulation -
potentiometer & camera**

Position	Number	Name	Description
31	320110500	Video-Kamera digital M12-Stecker + DTM 120 Grad Ethernet Ark Vision Software ROPA	ab Fg.Nr. 8R1813
32	100385700	Haltebügel Kamera	
33	415001800	M 4*20 hexagon bolt D 933 steel 8.8 ZN M 4* 20 DIN933, Stahl 8.8 ZN	
34	418006500	washer ø 4.3 D 9021 steel Zn ø 4,3 DIN9021 Stahl ZN	
35	414045300	StM 4 lock nut D 985 steel 8 Zn M 4 DIN985, Stahl 8 ZN	
36	322050300	Stecker 2-polig Buchsenkontakt DTM06	






ROPA Maus 6

Truck conveyor

E9122123 - 04.14 - Sieve conveyor for truck conveyor

Position	Number	Name	Description
1	251005800	soil chain loader TL 40, compl., for e-M 4 800x21880 mm e-M4, e-BM4, RM5, RM6, RBM5/6	mit Stahlmitnehmer
2	251005820	strainer chain truck conveyor TL 40 complete for e-M4, plast 800x21960 mm e-M4, e-BM4, RM5, RM6, RBM5/6	mit Kunststoffmitnehmer
3	208001800	cleaning shutter segment PU TL 40 160mm wide PU TL 40 - 160 mm	für 1 Reinigungsklappe 4 Stück notwendig
4	100106600	driver loader TL 40 6 bracket TL 40	
5	208001700	driver segment PU loader TL 40 TL 40	für 1 Mitnehmer 4 Stück notwendig
20	252004800	riveted bar ø 11, straight, 794 lg ø11 x 794 mm, ø6-LA30	zum nieten
21	252000900	riveted bar ø 11, straight, 794 lg with screw thread M 6 ø11 x 794 mm, M6-LA30	mit Gewinde - M6
22	252004900	riveted bar ø 12.5, straight, 794 lg ø12,5 x 794 mm, ø6-LA30	zum nieten
23	252001500	riveted bar ø 12.5, straight, 794 lg with screw thread M 6 ø12,5 x 794 mm, M6-LA30	mit Gewinde - M6
24	252004700	riveted bar rubber coated ø 12.5, 794 lg for riveting ø12,5 x 794 mm, ø6-LA30	zum nieten
25	252000200	riveted bar rubber coated ø 12.5, 794 lg with screw thread M ø12,5 x 794 mm, M6-LA30	mit Gewinde - M6
26	252003600	riveted hardened LA 30 - 6	zum nieten
27	252003900	riveted (with screw thread M 6) M6 - LA 30 mm	mit Gewinde - M6
28	412019600	countersunk-head rivet 6*30 D 661 steel 6*30 DIN661 Stahl	
29	412034800	countersunk-head rivet 6*27 D 661 steel 6*27 DIN661 Stahl	
30	412004900	countersunk-head rivet 6*25 D 661 steel 6*25 DIN661 Stahl	
31	414047700	M 6*30 countersunk screw D 7991 steel 10.9 M 6* 30 DIN7991 Stahl 10.9 - ISO 10642	
32	414054400	M 6*25 countersunk screw D 7991 steel 10.9 M 6* 25 ISO10642, ZN Stahl 10.9	
33	414048200	StM 6 lock nut D 980 steel 8 Zn M 6 DIN980, Stahl 8 ZN	
33	.	.	
40	TE0000015	Accessories for strainer chain repair ! Please order the following parts !	
40	252004300	vulcanizing cement + activator 500ml	ersetzt durch 252004320
40	252004320	Kleber + Verstärker Siebkette 650g	
41	017007800	Roughening 500 ml	
42	252006500	repair piece belt 75mm, TL 40 flat TL 40, Gurt 75	
43	018003100	tool to bond a belt TL 40 (doubletrip) TL 40 mm	
44	018000500	clamp to bond a belt	
45	252012200	Verstärkerlösung 40g	





ROPA Maus 6

Truck conveyor

**E9122125 - 04.10 - Überlader-Knick - Tragrollen - ab
Fg.Nr. 8S1894**

Position	Number	Name	Description
1	100390601	Überlader-Knick lang RM6 - 2025-	
2	100392001	Verbindungsrahmen rechts RM6 - 2025-	
3	100391901	Verbindungsrahmen links RM6 - 2025-	
4	414005600	M 12*30 hexagon bolt D 933 steel 8.8 ZN M12* 30 DIN933, Stahl 8.8 ZN	
5	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
6	414035000	StM 12 lock nut D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN	
7	252015300	Tragrolle elastisch m. Flansch außen anschrauben ø100/16/140, 56 mm	
8	414019300	M 16*90 hexagon bolt D 931 steel 8.8 ZN M16* 90 DIN931, Stahl 8.8 ZN	
9	252010600	idler roller TPU without flange, black (with cover) ø 95/16, 60 mm	(29 + 30) = 29
10	252009700	locking cap (PU) for TPU-idler roller 252096 PU (252009600 / 252010600)	
11	414018800	M 16*65 hexagon bolt D 931 steel 8.8 ZN M16* 65 DIN931, Stahl 8.8 ZN	
12	252010500	idler roller with flange, TPU black ø 90/16/132, 56 mm	
13	414019800	M 16*130 hexagon bolt D 931 steel 8.8 ZN M16*130 DIN931, Stahl 8.8 ZN	
14	100018604	distance tube 16.9*26.9 32lg ZN ø 16,9*ø 26,9* 32 ZN	
15	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
16	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
17	414019200	M 16*85 hexagon bolt D 931 steel 8.8 ZN M16* 85 DIN931, Stahl 8.8 ZN	

Description

Waage - siehe Sonderausstattung