




ROPA Maus 6

Special equipment

E9122175 - 05.30 - Model - tool box - right







ROPA Maus 6

Special equipment

E9122175 - 05.30 - Model - tool box - right

Position	Number	Name	Description
1	100270901	tool box under exhaust cover e-M4 RM6, RM5, e-M4	
2	100372001	Winkel RM6	
3	100371401	Befestigungswinkel	
4	100371301	Halteplatte RM6	
5	414001700	M 8*16 hexagon bolt D 933 steel 8.8 ZN M 8* 16 DIN933, Stahl 8.8 ZN	
6	418007800	washer ø 8.4 D 9021 steel Zn ø 8,4 DIN9021 Stahl ZN	
7	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
8	414073900	sheet metal screw C 6.3*19 D 7976 steel Zn C 6,3* 19 DIN7976, Stahl ZN	
9	414027200	M 8*20 mushroom head square neck bolt D 603 steel Zn M 8* 20 DIN603, Stahl 8.8 ZN	
10	320100900	Arbeitsscheinwerfer LED Scorpius, 12-24V 1800 Lumen - 28 W	
11	352028700	fastening bolt for lock M12*1	
12	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
13	414063000	FIM 12*1 thin nut D 439 steel Zn M12* 1 DIN439, Stahl ZN	
14	414001800	M 8*20 hexagon bolt D 933 steel 8.8 ZN M 8* 20 DIN933, Stahl 8.8 ZN	
15	418001400	washer ø 9 D 440 steel Zn ø 9 DIN440 Stahl ZN	
16	414003400	M 10*20 hexagon bolt D 933 steel 8.8 ZN M10* 20 DIN933, Stahl 8.8 ZN	
17	418001500	washer ø 11 D 440 steel Zn ø 11 DIN440 Stahl ZN	
18	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
19	248002700	circular buffer M 6, ø 20, 15 height, external thread e ø 20 - 15 lg - M6	
20	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
21	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	






ROPA Maus 6

Special equipment

E9122176 - 05.31 - Model - tool box - rear

Position	Number	Name	Description
1	212008000	stainless steel tool box 1000x600x600 1000x 600x 600 x 1,5	(1 + 22) = 1
2	100289201	holding angle for tool box in direction of travel right	
3	100289101	holding angle for tool box in direction of travel left	
4	414008400	M 16*40 hexagon bolt D 933 steel 8.8 ZN M16* 40 DIN933, Stahl 8.8 ZN	
5	418000600	washer ø 17 D 125 steel Zn ø 17 DIN125 A Stahl ZN	
6	414035200	StM 16 lock nut D 985 steel 8 ZN M16 DIN985, Stahl 8 ZN	
7	100289304	clamping angle for tool box ZN	
8	414003600	M 10*30 hexagon bolt D 933 steel 8.8 ZN M10* 30 DIN933, Stahl 8.8 ZN	
9	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
10	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	
11	100289401	folding bottom for tool box	
12	100289500	rubber plate 594x555x10 594* 555* 6	
13	015032200	magnet ø 25*7 with counterbore ø 25*7	
14	414030200	M 5*16 rounded countersunk head screw D 966 steel 4.8 ZN M 5* 16 DIN966, Stahl 4.8 ZN	
15	418007200	washer ø 5.3 D 125 Zn ø 5,3 DIN125 A Stahl ZN	
16	414042200	StM 5 lock nut D 985 steel 8 Zn M 5 DIN985, Stahl 8 ZN	
17	414023500	M 8*20 socket head screw D 912 steel 8.8 ZN M 8* 20 DIN912, Stahl 8.8 ZN	
18	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
19	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
20	100289600	Support shaft PA ø 40, ø9/ø14, L= 30mm	
21	414025800	M 8*30 socket head screw D 912 steel 8.8 ZN M 8* 30 DIN912, Stahl 8.8 ZN	
22	212009100	Schloss Werkzeugkasten	





ROPA Maus 6

Special equipment

E9122177 - 05.32 - Water spray system - water tank

Position	Number	Name	Description
1	208005110	Wasserkessel	390 Liter, 6bar, DIN 4810 RM5, RM6
2	100194504	support strap for water tank e-M3	
3	426006300	sponge rubber	50*8 mm adhesive 50* 8 mm
4	418000400	washer	ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN
5	414035000	StM 12 lock nut	D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN
6	420079900	Doppelnippel	2" - 80 mm ZN
7	270002000	spherical valve	2" 2"
8	320078300	level transmitter	550mm long, with liquid level indicator -8 550mm, max 8 bar
9	420006100	hydraulic fitting	GE 15 LR 1/2" 15 LR 1/2" ED
10	420019700	hydraulic fitting	EVGE 15 LR 1/2" 15 LR 1/2"
11	270041800	safety valve	1/2" 6bar pressure air 1/2" - 6bar
12	420041500	hydraulic fitting	VSTI R 1" R 1"
13	412005500	copper ring	13*18*1.5 D 7603 A 13*18*1,5 DIN7603 A
14	420005800	hydraulic fitting	GE 12 LR 1/4" 12 LR 1/4" ED
15	277062100	hydraulic hose	NW10 1250 lg DKOL 90° DKOL
16	277155400	PU hose	NW10 1100 lg DKOL 90° DKOL 90°
17	420012600	hydraulic fitting	RED 1"-1/2" 1" - 1/2"
18	420005900	hydraulic fitting	GE 12 LR 1/2" 12 LR 1/2" ED
19	422005700	DKOL	NW-10-90° NW-10-90° - 12L
20	420036500	hose clamp	16/12 D 74306 16/12 D 3017
21	424007000	PVC-hose	10*3 crystal-clear with breaker strip 10*3 - 50m - 350 mm
22	100373601	Montageplatte	RM6
23	352028700	fastening bolt for lock	M12*1
24	414063000	FIM 12*1 thin nut	D 439 steel Zn M12* 1 DIN439, Stahl ZN
25	320100900	Arbeitsscheinwerfer	LED Scorpius, 12-24V 1800 Lumen - 28 W
26	420016300	hydraulic fitting	EVW 15 L 15 L
27	414001900	M 8*25 hexagon bolt	D 933 steel 8.8 ZN M 8* 25 DIN933, Stahl 8,8 ZN
28	418000200	washer	ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN
29	414034800	StM 8 lock nut	D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN





ROPA Maus 6

Special equipment

E9122177 - 05.32 - Water spray system - water tank

Position	Number	Name	Description
30	248002700	circular buffer M 6, ø 20, 15 height, external thread e ø 20 - 15 lg - M6	
31	418007700	washer ø 6.4 D 9021 steel Zn ø 6,4 DIN9021 Stahl ZN	
32	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
33	017072800	Dichtfaden Loctite 55 50m	
33	.	.	
40	TE0000023	Special equipment ! Please order the following parts !	
40	420006400	hydraulic fitting GE 18 LR 1/2" 18 LR 1/2" ED	
41	420018200	hydraulic fitting EVL 18 L 18 L	
42	420014500	hydraulic fitting KOR 18/12 L 18L / 12L	
43	420016400	hydraulic fitting EVW 18 L 18 L	
44	420019800	hydraulic fitting EVGE 18 LR 1/2" 18 LR 1/2"	
45	270034800	spherical valve 1/2" 1/2"	
46	420030200	Usitring 1/2" 22.5*28*1.5 22,5* 28* 1,5 - 1/2"	
47	420070800	GEKA plus- Schnellkupplung 1/2" AG	
48	420071400	GEKA plus- Blindkupplung	
49	420051200	hydraulic fitting GVO 18-L/18-L 18-L / 18-L	
50	420008100	hydraulic fitting G 18 L 18 L	
51	352042700	Seil ø 2 x 426 mm +/-2mm	
52	426004200	Talurit clamp 4.5mm D 3093 4,5 mm DIN3093	



	1	2	3	4	39
I	OFF				
II	ON				
III					
IV					



ROPA Maus 6

Special equipment

E9122178 - 05.33 - Water spray system - fittings

Position	Number	Name	Description
1	100373601	Montageplatte RM6	
2	424003000	PA-pipe 10*1 10*1	< 1500 mm
3	261006700	Rückschlagventil QS10 - -10 bar	
4	424003000	PA-pipe 10*1 10*1	- 500 mm
5	420025500	reinforcement sleeve 10*1 10*1	
6	420000300	connection nut M 10 L 16*1.5 10 LM 16/1,5	
7	420001300	cutting ring S-10 L S-10 L ES4	
8	420016100	hydraulic fitting EVW 10 L 10 L	
9	420005500	hydraulic fitting GE 10 LR 3/8" 10 LR 3/8" ED	
10	270041900	pressure reducer 3/8" 0.5-10 bar 3/8" 0,5-10 bar	(10 - 12) = 10 / bis Fg.Nr. 8S1856
10	270041910	Druckminderer 3/8" 0,5-10 bar	(10 - 12) = 10 / ab Fg.Nr. 8S1857
11	261003300	pressure gauge 10 bar NG 50 (air) 10 bar NG 50	
12	412005500	copper ring 13*18*1.5 D 7603 A 13*18*1,5 DIN7603 A	
13	420019500	hydraulic fitting EVGE 12 LR 3/8" 12 LR 3/8"	
14	420005700	hydraulic fitting GE 12 LR 3/8" 12 LR 3/8" ED	
15	270003900	spherical valve 3/8" 3/8"	
16	278001900	pair of clamps ø 22 ø 22	
17	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
18	414011500	M 6*55 hexagon bolt D 931 steel 8.8 ZN M 6* 55 DIN931, Stahl 8,8 ZN	
19	418002500	washer ø 6.4 D 7349 steel Zn ø 6,4 DIN7349 Stahl ZN	
20	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
21	420018000	hydraulic fitting EVL 12 L 12 L	
22	420010400	hydraulic fitting T 12 L 12 L	
23	277062100	hydraulic hose NW10 1250 lg DKOL 90° DKOL	
24	420058600	Hydraulikverschraubung GAI 12 LR 1/2"	
25	208003100	water filter 1/2" external thread ., 100 meshes/inch 1/2" AG	
26	208003200	filter insert 100 meshes/inch (for 208031)	
27	412084400	O-ring 13.95*2.62 Viton 13.95*2.62 Viton	
28	420075400	Schlauchanschluss gerade IG 1/2" - Tülle 10	




ROPA Maus 6

Special equipment

E9122178 - 05.33 - Water spray system - fittings

Position	Number	Name	Description
29	420036500	hose clamp 16/12 D 74306 16/12 D 3017	
30	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 3720 mm
31	422005700	DKOL NW-10-90° NW-10-90° - 12L	
32	420036500	hose clamp 16/12 D 74306 16/12 D 3017	
33	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 330 mm
34	422002100	DKOL NW-10 NW-10 - 12L	
35	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 350 mm
36	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 300 mm
37	414011900	M 6*75 hexagon bolt D 931 steel 8.8 ZN M 6* 75 DIN931, Stahl 8.8 ZN	
38	412060200	O-ring 17.3*2.2 Viton 17,3* 2,4 Viton	
39	355054300	Sticker	
40	420030100	Usitring 3/8" 17.4*24*1.5 17,4* 24* 1,5 - 3/8"	für 270041910
41	017072800	Dichtfaden Loctite 55 50m	





ROPA Maus 6

Special equipment

E9122181 - 05.34.1 - Water spray system - pickup

Position	Number	Name	Description
1	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 850 mm
2	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 1450 mm
3	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 1830 mm
4	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 2500 mm
5	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 6100 mm
6	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 7750 mm
7	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 3720 mm
8	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	
9	100175004	nozzle holder ZN	
10	278001900	pair of clamps ø 22 ø 22	
11	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
12	414025300	M 6*40 hexagon bolt D 931 steel 8.8 Zn M 6* 40 DIN931, Stahl 8.8 ZN	
13	420051800	injection nozzle cpl. for pipe line connection	
14	420057600	Kugelventilfilter 50M 0,3 bar	
15	420069400	Düsenmundstück SprayMax 110-02	
16	412005500	copper ring 13*18*1.5 D 7603 A 13*18*1,5 DIN7603 A	
17	420005200	hydraulic fitting GE 6 LR 1/4" 6 LR 1/4" ED	
18	422015900	Schlauchnippel DKOL NW-06-90° - 6L	
19	420048400	hose clamp 12/9 D 74306 12/ 9 D 3017	
20	420016800	hydraulic fitting EVT 6 L 6 L	
21	422016000	Schlauchnippel DKOL NW-06 - 6L	
22	270067900	Kugelhahn mini 1/4"	
23	100329904	Halteblech Ventil Danfoss RM5	bis Fg.Nr. 8S1855
23	100389304	Halteblech Ventil Danfoss RM6	ab Fg.Nr. 8S1856
24	100330004	Klemmwinkel	
25	100329804	Klemmplatte Wasserventil elektrisch RM5	
26	414011500	M 6*55 hexagon bolt D 931 steel 8.8 ZN M 6* 55 DIN931, Stahl 8.8 ZN	
27	414025500	M 6*30 socket head screw D 912 steel 8.8 ZN M 6* 30 DIN912, Stahl 8.8 ZN	
28	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	




ROPA Maus 6

Special equipment

E9122181 - 05.34.1 - Water spray system - pickup

Position	Number	Name	Description
29	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
30	208004600	valve for water spray system (without magnet) G 1/2" -2024, RM5, RBM5, RM6, RBM6	bis Fg.Nr. 8S1855
30	208006200	Ventil Wasserspritzeanlage G 1/2" RM6, RBM6, 2025-	ab Fg.Nr. 8S1856
31	208004710	magnet for valve -water spray system Typ AU 35x35 x 37mm	
32	420074700	Schlauchtülle 1/2" - NW 6	
33	420074600	Schlauchtülle 1/2" - NW 9	
34	412035800	copper ring 21*26*1.5 D 7603 A 21*26*1,5 DIN7603 A	
35	420036500	hose clamp 16/12 D 74306 16/12 D 3017	
36	301023500	T-piece TS 10 (POM) TS 10	
37	277146010	Hydraulikschlauch NW10 - 350 lg - 385bar CEL CEL	
38	422002100	DKOL NW-10 NW-10 - 12L	





ROPA Maus 6

Special equipment

E9122182 - 05.34.2 - Water spray system - pickup DUO

Position	Number	Name	Description
1	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	
2	420036500	hose clamp 16/12 D 74306 16/12 D 3017	
3	301023500	T-piece TS 10 (POM) TS 10	
4	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 2500 mm
5	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 6100 mm
6	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 7750 mm
7	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 3720 mm
8	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	
9	100175004	nozzle holder ZN	
10	278001900	pair of clamps ø 22 ø 22	
11	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
12	414025300	M 6*40 hexagon bolt D 931 steel 8.8 Zn M 6* 40 DIN931, Stahl 8.8 ZN	
13	420051800	injection nozzle cpl. for pipe line connection	
14	420057600	Kugelventilfilter 50M 0,3 bar	
15	420069400	Düsenmundstück SprayMax 110-02	
16	412005500	copper ring 13*18*1.5 D 7603 A 13*18*1,5 DIN7603 A	
17	420005200	hydraulic fitting GE 6 LR 1/4" 6 LR 1/4" ED	
18	422015900	Schlauchnippel DKOL NW-06-90° - 6L	
19	420048400	hose clamp 12/9 D 74306 12/ 9 D 3017	
20	420016800	hydraulic fitting EVT 6 L 6 L	
21	422016000	Schlauchnippel DKOL NW-06 - 6L	
22	270067900	Kugelhahn mini 1/4"	
23	100329904	Halteblech Ventil Danfoss RM5	bis Fg.Nr. 8S1855
23	100389304	Halteblech Ventil Danfoss RM6	ab Fg.Nr. 8S1856
24	100330004	Klemmwinkel	
25	100329804	Klemmplatte Wasserventil elektrisch RM5	
26	414011500	M 6*55 hexagon bolt D 931 steel 8.8 ZN M 6* 55 DIN931, Stahl 8.8 ZN	
27	414025500	M 6*30 socket head screw D 912 steel 8.8 ZN M 6* 30 DIN912, Stahl 8.8 ZN	
28	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	




ROPA Maus 6

Special equipment

E9122182 - 05.34.2 - Water spray system - pickup DUO

Position	Number	Name	Description
29	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
30	208004600	valve for water spray system (without magnet) G 1/2" -2024, RM5, RBM5, RM6, RBM6	bis Fg.Nr. 8S1855
30	208006200	Ventil Wasserspritzeanlage G 1/2" RM6, RBM6, 2025-	ab Fg.Nr. 8S1856
31	208004710	magnet for valve -water spray system Typ AU 35x35 x 37mm	
32	420074700	Schlauchtülle 1/2" - NW 6	
33	420074600	Schlauchtülle 1/2" - NW 9	
34	412035800	copper ring 21*26*1.5 D 7603 A 21*26*1,5 DIN7603 A	
35	277146010	Hydraulikschlauch NW10 - 350 lg - 385bar CEL CEL	
36	422002100	DKOL NW-10 NW-10 - 12L	





ROPA Maus 6

Special equipment

**E9122183 - 05.35.1 - Wasserspritzeanlage - Walzenreiniger
von unten**

Position	Number	Name	Description
1	285045200	hydraulic pipe d10 495mm ø10* 495 mm	bei Getriebe mit OMV-Motor
1	285108600	Hydraulikrohr ø10* 502 mm	bei Getriebe mit Axialkolbenmotor
2	285045300	hydraulic pipe d10 520mm ø10* 520 mm	bei Getriebe mit OMV-Motor
2	285108700	Hydraulikrohr ø10* 502 mm	bei Getriebe mit Axialkolbenmotor
3	420010300	hydraulic fitting T 10 L 10 L	
4	278001500	pair of clamps ø 10 ø 10	
5	278000700	cover plate size 1 Gr.1 - 36* 30 - 20 STD.	
6	414011000	M 6*30 hexagon bolt D 931 steel 8.8 ZN M 6* 30 DIN931, Stahl 8.8 ZN	
7	100171500	GE 10 LR 1/4" shortened 10 LR 1/4" ED	
8	420051800	injection nozzle cpl. for pipe line connection	
9	420057600	Kugelventilfilter 50M 0,3 bar	
10	420069400	Düsenmundstück SprayMax 110-02	
11	420030300	hydraulic fitting MAV-EV 10 LR 1/4" 10 LR 1/4"	
12	412005500	copper ring 13*18*1.5 D 7603 A 13*18*1,5 DIN7603 A	
13	420032200	hose tail 1/4" for NW 6 1/4"	
14	420048400	hose clamp 12/9 D 74306 12/ 9 D 3017	
15	301024200	T-Stück TRS 10- 6-10	
16	420036500	hose clamp 16/12 D 74306 16/12 D 3017	
17	422005700	DKOL NW-10-90° NW-10-90° - 12L	
18	420074600	Schlauchtülle 1/2" - NW 9	
19	412035800	copper ring 21*26*1.5 D 7603 A 21*26*1,5 DIN7603 A	
20	100329704	Halteblech Wasserventil elektrisch RM5	bis Fg.Nr. 8S1855
20	100389404	Halteblech Wasserventil elektrisch RM6	ab Fg.Nr. 8S1856
21	100329804	Klemmplatte Wasserventil elektrisch RM5	
22	278000204	Weld-on plate Gr.2 - 42* 30 - 26 ZN	
23	414000300	M 6*20 hexagon bolt D 933 steel 8.8 ZN M 6* 20 DIN933, Stahl 8.8 ZN	
24	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
25	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
26	414025500	M 6*30 socket head screw D 912 steel 8.8 ZN M 6* 30 DIN912, Stahl 8.8 ZN	



ROPA Maus 6

Special equipment

E9122183 - 05.35.1 - Wasserspritzeanlage - Walzenreiniger von unten

Position	Number	Name	Description
27	208004600	valve for water spray system (without magnet) G 1/2" -2024, RM5, RBM5, RM6, RBM6	bis Fg.Nr. 8S1855
27	208006200	Ventil Wasserspritzeanlage G 1/2" RM6, RBM6, 2025-	ab Fg.Nr. 8S1856
28	208004710	magnet for valve -water spray system Typ AU 35x35 x 37mm	
29	301011400	T-piece TS 6 (PVC) TS 6	
30	420010400	hydraulic fitting T 12 L 12 L	
31	420044700	hydraulic fitting MAV-EV 12 LR 1/4" 12 LR 1/4"	
32	270067900	Kugelhahn mini 1/4"	
33	278001900	pair of clamps ø 22 ø 22	
34	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
35	278000304	Weld-on plate Gr.3 - 50* 30 - 33 ZN	
36	414011400	M 6*50 hexagon bolt D 931 steel 8.8 ZN M 6* 50 DIN931, Stahl 8.8 ZN	
37	100270204	bracket for pinch roller cleaner spraying nozzle, e-M4, ZN ZN	
38	100286704	bracket for pinch roller cleaner spraying nozzle, upper part ZN	
39	100286604	bracket for pinch roller cleaner spraying nozzle, bottom par ZN	
40	414001900	M 8*25 hexagon bolt D 933 steel 8.8 ZN M 8* 25 DIN933, Stahl 8.8 ZN	
41	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
42	418001400	washer ø 9 D 440 steel Zn ø 9 DIN440 Stahl ZN	
43	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
44	248002900	circular buffer M 8, ø 30, 15 height, external thread b ø 30 - 15 lg - M8	
45	418004300	spring lock washer A8 D 127 spring steel Zn A 8 DIN127 A, ZN	
46	414031200	M 8 hexagon nut D 934 steel 8 ZN M 8 DIN934, Stahl 8 ZN	
47	420069000	spray nozzle compl. for hose connection 90°	
48	420051700	injection nozzle cpl. for hose connection	
49	414000200	M 6*16 hexagon bolt D 933 steel 8.8 ZN M 6* 16 DIN933, Stahl 8.8 ZN	
50	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	
51	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 350 mm
52	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 60 mm
53	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 70 mm




ROPA Maus 6

Special equipment

**E9122183 - 05.35.1 - Wasserspritzeanlage - Walzenreiniger
von unten**

Position	Number	Name	Description
54	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2460 mm
55	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 300 mm
56	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 800 mm
57	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 3120 mm
58	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 250 mm
59	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 1000 mm
60	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2700 mm
61	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 240 mm
62	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2620 mm
63	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 3800 mm





ROPA Maus 6

Special equipment

**E9122184 - 05.35.2 - Wasserspritzeanlage - Walzenreiniger
von unten DUO**

Position	Number	Name	Description
1	285045200	hydraulic pipe d10 495mm ø10* 495 mm	bei Getriebe mit OMV-Motor
1	285108600	Hydraulikrohr ø10* 502 mm	bei Getriebe mit Axialkolbenmotor
2	285045300	hydraulic pipe d10 520mm ø10* 520 mm	bei Getriebe mit OMV-Motor
2	285108700	Hydraulikrohr ø10* 502 mm	bei Getriebe mit Axialkolbenmotor
3	420010300	hydraulic fitting T 10 L 10 L	
4	278001500	pair of clamps ø 10 ø 10	
5	278000700	cover plate size 1 Gr.1 - 36* 30 - 20 STD.	
6	414011000	M 6*30 hexagon bolt D 931 steel 8.8 ZN M 6* 30 DIN931, Stahl 8.8 ZN	
7	100171500	GE 10 LR 1/4" shortened 10 LR 1/4" ED	
8	420051800	injection nozzle cpl. for pipe line connection	
9	420057600	Kugelventilfilter 50M 0,3 bar	
10	420069400	Düsenmundstück SprayMax 110-02	
11	420030300	hydraulic fitting MAV-EV 10 LR 1/4" 10 LR 1/4"	
12	412005500	copper ring 13*18*1.5 D 7603 A 13*18*1,5 DIN7603 A	
13	420032200	hose tail 1/4" for NW 6 1/4"	
14	420048400	hose clamp 12/9 D 74306 12/ 9 D 3017	
15	301024200	T-Stück TRS 10- 6-10	
16	420036500	hose clamp 16/12 D 74306 16/12 D 3017	
17	422005700	DKOL NW-10-90° NW-10-90° - 12L	
18	420074600	Schlauchtülle 1/2" - NW 9	
19	412035800	copper ring 21*26*1.5 D 7603 A 21*26*1,5 DIN7603 A	
20	100329704	Halteblech Wasserventil elektrisch RM5	bis Fg.Nr. 8S1855
20	100389404	Halteblech Wasserventil elektrisch RM6	ab Fg.Nr. 8S1856
21	100329804	Klemmplatte Wasserventil elektrisch RM5	
22	278000204	Weld-on plate Gr.2 - 42* 30 - 26 ZN	
23	414000300	M 6*20 hexagon bolt D 933 steel 8.8 ZN M 6* 20 DIN933, Stahl 8.8 ZN	
24	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
25	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
26	414025500	M 6*30 socket head screw D 912 steel 8.8 ZN M 6* 30 DIN912, Stahl 8.8 ZN	



ROPA Maus 6

Special equipment

**E9122184 - 05.35.2 - Wasserspritzeanlage - Walzenreiniger
von unten DUO**

Position	Number	Name	Description
27	208004600	valve for water spray system (without magnet) G 1/2" -2024, RM5, RBM5, RM6, RBM6	bis Fg.Nr. 8S1855
27	208006200	Ventil Wasserspritzeanlage G 1/2" RM6, RBM6, 2025-	ab Fg.Nr. 8S1856
28	208004710	magnet for valve -water spray system Typ AU 35x35 x 37mm	
29	301011400	T-piece TS 6 (PVC) TS 6	
30	420010400	hydraulic fitting T 12 L 12 L	
31	420044700	hydraulic fitting MAV-EV 12 LR 1/4" 12 LR 1/4"	
32	270067900	Kugelhahn mini 1/4"	
33	278001900	pair of clamps ø 22 ø 22	
34	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
35	278000304	Weld-on plate Gr.3 - 50* 30 - 33 ZN	
36	414011400	M 6*50 hexagon bolt D 931 steel 8.8 ZN M 6* 50 DIN931, Stahl 8.8 ZN	
37	100270204	bracket for pinch roller cleaner spraying nozzle, e-M4, ZN ZN	
38	100286704	bracket for pinch roller cleaner spraying nozzle, upper part ZN	
39	100286604	bracket for pinch roller cleaner spraying nozzle, bottom par ZN	
40	414001900	M 8*25 hexagon bolt D 933 steel 8.8 ZN M 8* 25 DIN933, Stahl 8.8 ZN	
41	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
42	418001400	washer ø 9 D 440 steel Zn ø 9 DIN440 Stahl ZN	
43	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
44	248002900	circular buffer M 8, ø 30, 15 height, external thread b ø 30 - 15 lg - M8	
45	418004300	spring lock washer A8 D 127 spring steel Zn A 8 DIN127 A, ZN	
46	414031200	M 8 hexagon nut D 934 steel 8 ZN M 8 DIN934, Stahl 8 ZN	
47	420069000	spray nozzle compl. for hose connection 90°	
48	420051700	injection nozzle cpl. for hose connection	
49	414000200	M 6*16 hexagon bolt D 933 steel 8.8 ZN M 6* 16 DIN933, Stahl 8.8 ZN	
50	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	
51	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 350 mm
52	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 60 mm
53	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 70 mm




ROPA Maus 6

Special equipment

**E9122184 - 05.35.2 - Wasserspritzeanlage - Walzenreiniger
von unten DUO**

Position	Number	Name	Description
54	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2460 mm
55	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 300 mm
56	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 800 mm
57	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 3120 mm
58	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 250 mm
59	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 1000 mm
60	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2700 mm
61	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 240 mm
62	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2620 mm
63	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 3800 mm
64	420047800	hydraulic fitting ROV 12 L 12 L	
65	301023500	T-piece TS 10 (POM) TS 10	
66	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 110 mm
67	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 650 mm





ROPA Maus 6

Special equipment

**E9122185 - 05.36.1 - Wasserspritzanlage - Walzenreiniger
von oben - Teil 1**

Position	Number	Name	Description
1	420057600	Kugelventilfilter 50M 0,3 bar	
2	420069400	Düsenmundstück SprayMax 110-02	
3	412005500	copper ring 13*18*1.5 D 7603 A 13*18*1,5 DIN7603 A	
4	420032200	hose tail 1/4" for NW 6 1/4"	
5	420048400	hose clamp 12/9 D 74306 12/ 9 D 3017	
6	301024200	T-Stück TRS 10- 6-10	
7	420036500	hose clamp 16/12 D 74306 16/12 D 3017	
8	422005700	DKOL NW-10-90° NW-10-90° - 12L	
9	420074600	Schlauchtülle 1/2" - NW 9	
10	412035800	copper ring 21*26*1.5 D 7603 A 21*26*1,5 DIN7603 A	
11	100329704	Halteblech Wasserventil elektrisch RM5	bis Fg.Nr. 8S1855
11	100389404	Halteblech Wasserventil elektrisch RM6	ab Fg.Nr. 8S1856
12	100329804	Klemmplatte Wasserventil elektrisch RM5	
13	278000204	Weld-on plate Gr.2 - 42* 30 - 26 ZN	
14	414000300	M 6*20 hexagon bolt D 933 steel 8.8 ZN M 6* 20 DIN933, Stahl 8.8 ZN	
15	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
16	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
17	414025500	M 6*30 socket head screw D 912 steel 8.8 ZN M 6* 30 DIN912, Stahl 8.8 ZN	
18	208004600	valve for water spray system (without magnet) G 1/2" -2024, RM5, RBM5, RM6, RBM6	bis Fg.Nr. 8S1855
18	208006200	Ventil Wasserspritzanlage G 1/2" RM6, RBM6, 2025-	ab Fg.Nr. 8S1856
19	208004710	magnet for valve -water spray system Typ AU 35x35 x 37mm	
20	301011400	T-piece TS 6 (PVC) TS 6	
21	420010400	hydraulic fitting T 12 L 12 L	
22	420044700	hydraulic fitting MAV-EV 12 LR 1/4" 12 LR 1/4"	
23	270067900	Kugelhahn mini 1/4"	
24	278001900	pair of clamps ø 22 ø 22	
25	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
26	278000304	Weld-on plate Gr.3 - 50* 30 - 33 ZN	
27	414011400	M 6*50 hexagon bolt D 931 steel 8.8 ZN M 6* 50 DIN931, Stahl 8.8 ZN	




ROPA Maus 6

Special equipment

**E9122185 - 05.36.1 - Wasserspritzanlage - Walzenreiniger
von oben - Teil 1**

Position	Number	Name	Description
28	100348704	Halter Spritzdüse	
29	100286604	bracket for pinch roller cleaner spraying nozzle, bottom par ZN	
30	414027200	M 8*20 mushroom head square neck bolt D 603 steel Zn M 8* 20 DIN603, Stahl 8.8 ZN	
31	414027400	M 8*35 mushroom head square neck bolt D 603 steel Zn M 8* 35 DIN603, Stahl 8.8 ZN	
32	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
33	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
34	278005100	clamp rubberized ø 18 ø 18* 15 DIN 3016	
35	248002900	circular buffer M 8, ø 30, 15 height, external thread b ø 30 - 15 lg - M8	
36	301023500	T-piece TS 10 (POM) TS 10	
37	414000200	M 6*16 hexagon bolt D 933 steel 8.8 ZN M 6* 16 DIN933, Stahl 8.8 ZN	
38	420069000	spray nozzle compl. for hose connection 90°	
39	420051700	injection nozzle cpl. for hose connection	
40	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 4700 mm
41	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 4800 mm
42	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 350 mm
43	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 380 mm
44	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 70 mm
45	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2900 mm
46	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 300 mm
47	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 800 mm
48	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2900 mm
49	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 250 mm
50	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 800 mm
51	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 2900 mm
52	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	- 240 mm
53	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 1300 mm





ROPA Maus 6

Special equipment

**E9122186 - 05.36.2 - Wasserspritzeanlage - Walzenreiniger
von oben - Teil 2**

Position	Number	Name	Description
1	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 4800 mm
2	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	< 4700 mm
3	424007000	PVC-hose 10*3 crystal-clear with breaker strip 10*3 - 50m	- 380 mm
4	301023500	T-piece TS 10 (POM) TS 10	
5	420036500	hose clamp 16/12 D 74306 16/12 D 3017	
6	420074600	Schlauchtülle 1/2" - NW 9	
7	208004600	valve for water spray system (without magnet) G 1/2" -2024, RM5, RBM5, RM6, RBM6	bis Fg.Nr. 8S1855
7	208006200	Ventil Wasserspritzeanlage G 1/2" RM6, RBM6, 2025-	ab Fg.Nr. 8S1856
8	208004710	magnet for valve -water spray system Typ AU 35x35 x 37mm	
9	100329704	Halteblech Wasserventil elektrisch RM5	bis Fg.Nr. 8S1855
9	100389404	Halteblech Wasserventil elektrisch RM6	ab Fg.Nr. 8S1856
10	100329804	Klemmplatte Wasserventil elektrisch RM5	
11	414025500	M 6*30 socket head screw D 912 steel 8.8 ZN M 6* 30 DIN912, Stahl 8.8 ZN	
12	414000300	M 6*20 hexagon bolt D 933 steel 8.8 ZN M 6* 20 DIN933, Stahl 8.8 ZN	
13	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
14	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
15	412035800	copper ring 21*26*1.5 D 7603 A 21*26*1,5 DIN7603 A	
16	420074700	Schlauchtülle 1/2" - NW 6	
17	420048400	hose clamp 12/9 D 74306 12/ 9 D 3017	
18	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	< 1300 mm
19	100348604	Halter Spritzdüse Spritzdüse, Wasserspritzeanlage	
20	420051800	injection nozzle cpl. for pipe line connection	
21	420057600	Kugelventilfilter 50M 0,3 bar	
22	420069400	Düsenmundstück SprayMax 110-02	
23	412005500	copper ring 13*18*1.5 D 7603 A 13*18*1,5 DIN7603 A	
24	420005200	hydraulic fitting GE 6 LR 1/4" 6 LR 1/4" ED	
25	420016800	hydraulic fitting EVT 6 L 6 L	
26	270067900	Kugelhahn mini 1/4"	




ROPA Maus 6

Special equipment

**E9122186 - 05.36.2 - Wasserspritzeanlage - Walzenreiniger
von oben - Teil 2**

Position	Number	Name	Description
27	422015900	Schlauchnippel DKOL NW-06-90° - 6L	
28	422016000	Schlauchnippel DKOL NW-06 - 6L	
29	424006900	PVC-hose 6*3 crystal-clear with breaker strip 6*3	
30	017030800	Teflonband 12m Rolle (12mm*0,08mm)	





ROPA Maus 6

Special equipment

E9122187 - 05.37 - Support arm for R-View camera

Position	Number	Name	Description
1	100369101	Kamerahalter R-View RM6 Rohr für Schwenkbefestigung	
2	100369201	Rohr RM6	
3	100369301	Rohr RM6	
4	100369401	Kamerahalter RM6	
5	100363904	Segmentplatte RM6	
6	414010000	M 20*55 hexagon bolt D 933 steel 8.8 ZN M20* 55 DIN933, Stahl 8.8 ZN	
7	414005800	M 12*40 hexagon bolt D 933 steel 8.8 ZN M12* 40 DIN933, Stahl 8.8 ZN	
8	418000400	washer ø 13 D 125 Zn ø 13 DIN125 A Stahl ZN	
9	414035000	StM 12 lock nut D 985 steel 8 ZN M12 DIN985, Stahl 8 ZN	
10	414002000	M 8*30 hexagon bolt D 933 steel 8.8 ZN M 8* 30 DIN933, Stahl 8.8 ZN	
11	418000200	washer ø 8.4 D 125 Zn ø 8,4 DIN125 A Stahl ZN	
12	414034800	StM 8 lock nut D 985 steel 8 ZN M 8 DIN985, Stahl 8 ZN	
13	214004600	tension spring 28*4*202 premium steel 28*4*202	
14	320102900	Video-Kamera digital M12-Stecker + DTM 120° Ethernet	bis Fg.Nr. 8R1812 // ersetzt durch 320110500 und 100369401
14	320110500	Video-Kamera digital M12-Stecker + DTM 120 Grad Ethernet Ark Vision Software ROPA	
14	100369401	Kamerahalter RM6	
15	414013100	M 8*60 hexagon bolt D 931 steel 8.8 ZN M 8* 60 DIN931, Stahl 8.8 ZN	
16	414012900	M 8*50 hexagon bolt D 931 steel 8.8 ZN M 8* 50 DIN931, Stahl 8.8 ZN	
17	100373800	Zwischenscheibe Polyamid RM6	
18	414000400	M 6*25 hexagon bolt D 933 steel 8.8 ZN M 6* 25 DIN933, Stahl 8.8 ZN	
19	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
20	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
21	320103100	Switch Ethernet 8x M12 D-Cod, 1x M12 A-Cod 18-30V Murr, 10/100 Mbit, IP67	
22	322032800	Schutzkappe mit Dichtgummi M12	
23	414049000	M 4*40 cheese head screw D 84 steel Zn M 4* 40 DIN84, Stahl ZN	
24	418007600	washer ø 4.3 D 7349 steel Zn ø 4,3 DIN7349 Stahl ZN	
25	414045300	StM 4 lock nut D 985 steel 8 Zn M 4 DIN985, Stahl 8 ZN	
26	320110500	Video-Kamera digital M12-Stecker + DTM 120 Grad Ethernet Ark Vision Software ROPA	ab Fg.Nr. 8R1813



ROPA Maus 6

Special equipment

E9122187 - 05.37 - Support arm for R-View camera

Position	Number	Name	Description
27	414089400	M 4*16 hexagon bolt D 933 steel 8.8 ZN M 4* 16 DIN933, Stahl 8.8 ZN	
28	418006500	washer ø 4.3 D 9021 steel Zn ø 4,3 DIN9021 Stahl ZN	
29	414001900	M 8*25 hexagon bolt D 933 steel 8.8 ZN M 8* 25 DIN933, Stahl 8.8 ZN	