







ROPA Maus 6

Hydraulics - pickup

E9122300 - 09.01 - Pickup - central mark

Position	Number	Name	Description
1	272011501	hydraulic motor OMV 800 (shaft ø60 conical) OMV 800	
2	272006900	sealing set for OMV OMV	
3	420055100	hydraulic fitting GE 18 LR 1" 18 LR 1" B	
4	420005400	hydraulic fitting GE 10 LR 1/4" 10 LR 1/4" ED	
5	285048700	hydraulic pipe ø18*2082 mm	
6	285048800	hydraulic pipe ø18*2062 mm	
7	285048900	hydraulic pipe ø10*1971 mm	
8	278001800	pair of clamps ø 18 ø 18	
9	278000800	cover plate size 2 Gr.2 - 40* 30 - 26 STD.	
10	278000204	Weld-on plate Gr.2 - 42* 30 - 26 ZN	
11	414025300	M 6*40 hexagon bolt D 931 steel 8.8 Zn M 6* 40 DIN931, Stahl 8.8 ZN	
12	414011100	M 6*35 hexagon bolt D 931 steel 8.8 ZN M 6* 35 DIN931, Stahl 8.8 ZN	
13	420008100	hydraulic fitting G 18 L 18 L	
14	285017800	Hydraulikrohr ø18*1508 mm	
15	277125300	hydraulic hose NW16 1000lg 250bar CEL CEL	
16	278001500	pair of clamps ø 10 ø 10	
17	278000700	cover plate size 1 Gr.1 - 36* 30 - 20 STD.	
18	278000104	Weld-on plate Gr.1 - 36* 30 - 20 ZN	
19	414011000	M 6*30 hexagon bolt D 931 steel 8.8 ZN M 6* 30 DIN931, Stahl 8.8 ZN	
20	420007800	hydraulic fitting G 10 L 10 L	
21	285069000	Hydraulikrohr ø18*1544 mm	
22	285054800	Hydraulikrohr ø10*1290 mm	
23	420013700	hydraulic fitting KOR 12/10 L 12L / 10L	
24	420010400	hydraulic fitting T 12 L 12 L	
25	285054600	Hydraulikrohr ø12* 756 mm	
26	285054700	Hydraulikrohr ø12* 636 mm	
27	278001600	pair of clamps ø 12 ø 12	
28	277049900	hydraulic hose NW10 600 lg CEL CEL	





ROPA Maus 6

Hydraulics - pickup

E9122301 - 09.06 - Pickup - flow line left and right

Position	Number	Name	Description
1	270043100	seat valve 4-fold with Deutsch-connector connection 4-fach, 24V	
2	420020200	hydraulic fitting VSTI 16*1.5 M 16*1.5	
3	414011700	M 6*65 hexagon bolt D 931 steel 8.8 ZN M 6* 65 DIN931, Stahl 8.8 ZN	
4	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
5	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
6	420003000	hydraulic fitting GE 10 LM 16*1.5 10 LM 16*1,5 ED	
7	285060900	Hydraulikrohr ø10* 989 mm	
8	285060000	Hydraulikrohr ø10* 959 mm	
9	285061700	Hydraulikrohr ø10* 989 mm	
10	285060800	Hydraulikrohr ø10* 959 mm	
11	420009500	hydraulic fitting W 10 L 10 L	
12	285053000	Hydraulikrohr ø10*4621 mm	
13	285053100	Hydraulikrohr ø10*4679 mm	
14	278000104	Weld-on plate Gr.1 - 36* 30 - 20 ZN	
15	414011600	M 6*60 hexagon bolt D 931 steel 8.8 ZN M 6* 60 DIN931, Stahl 8.8 ZN	
16	278001500	pair of clamps ø 10 ø 10	
17	278000700	cover plate size 1 Gr.1 - 36* 30 - 20 STD.	
18	414011000	M 6*30 hexagon bolt D 931 steel 8.8 ZN M 6* 30 DIN931, Stahl 8.8 ZN	
19	420007800	hydraulic fitting G 10 L 10 L	
20	285052500	Hydraulikrohr ø10*1279 mm	
21	285052400	Hydraulikrohr ø10*1121 mm	
22	285053900	Hydraulikrohr ø10*1279 mm	
23	285053800	Hydraulikrohr ø10*1121 mm	
24	277060910	Hydraulikschlauch NW08 - 350 lg - 420bar CEL CEL	
25	278009200	pair of clamps ø 20 ø 20	
26	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
27	414025300	M 6*40 hexagon bolt D 931 steel 8.8 Zn M 6* 40 DIN931, Stahl 8.8 ZN	
28	420017900	hydraulic fitting EVL 10 L 10 L	
29	420016100	hydraulic fitting EVW 10 L 10 L	




ROPA Maus 6

Hydraulics - pickup

E9122301 - 09.06 - Pickup - flow line left and right

Position	Number	Name	Description
30	285054900	Hydraulikrohr	ø10*2023 mm
31	285068500	Hydraulikrohr	ø10*1977 mm
32	285090400	Hydraulikrohr	ø10* 803 mm
33	285090500	Hydraulikrohr	ø10* 675 mm
34	285090100	Hydraulikrohr	ø10*2230 mm
35	277145300	Hydraulikschlauch NW08 -	580 lg - 350bar CEL CEL
36	285090700	Hydraulikrohr	ø10* 849 mm
37	285090800	Hydraulikrohr	ø10* 715 mm






ROPA Maus 6

Hydraulics - pickup

E9122302 - 09.07 - Pickup - support foot and fold plate

Position	Number	Name	Description
1	276022601	hydraulic cylinder/swivel plate e-M4 50*25*245 50*25*245, 2L4ø10==M20x1,5	
2	276022701	Hydraulic cylinder / pad clean-out blade e-M 4 50*25*150 50*25*150, 2L4ø10==M20x1,5	
3	276075800	sealing set cpl. for cyl, 50*25 50*25	
4	270047000	seat valve 1-fold-Block 24V (currentless closed) 1- fach, 24V	
5	414011500	M 6*55 hexagon bolt D 931 steel 8.8 ZN M 6* 55 DIN931, Stahl 8.8 ZN	
6	418000100	washer ø 6.4 D 125 Zn ø 6,4 DIN125 A Stahl ZN	
7	414034700	StM 6 lock nut D 985 steel 8 Zn M 6 DIN985, Stahl 8 ZN	
8	270043100	seat valve 4-fold with Deutsch-connector connection 4-fach, 24V	
9	420020200	hydraulic fitting VSTI 16*1.5 M 16*1.5	
10	414011700	M 6*65 hexagon bolt D 931 steel 8.8 ZN M 6* 65 DIN931, Stahl 8.8 ZN	
11	420005500	hydraulic fitting GE 10 LR 3/8" 10 LR 3/8" ED	
12	277155700	Hydraulikschlauch NW08 - 370 lg - 350bar DKOL 45° DKOL	
13	420017000	hydraulic fitting EVT 10 L 10 L	
14	285059500	Hydraulikrohr ø10* 515 mm	links
14	285059800	Hydraulikrohr ø10* 479 mm	rechts
15	277142900	Hydraulikschlauch NW08 - 700 lg - 350bar DKOL 45° DKOL	
16	100139300	hider 1 mm ø 10 1 mm - ø 10	
17	420003000	hydraulic fitting GE 10 LM 16*1.5 10 LM 16*1,5 ED	
18	277063600	hydraulic hose NW08 900 lg DKOL 90° DKOL	links
18	277044400	hydraulic hose NW08 800 lg DKOL 90° DKOL	rechts
19	420016100	hydraulic fitting EVW 10 L 10 L	
20	277062600	hydraulic hose NW08 400 lg DKOL 90° DKOL	bis Fg.Nr. 8S1949
20	277039900	hydraulic hose NW08 500 lg DKOL 90° DKOL	ab Fg.Nr. 8S1950
21	277062600	hydraulic hose NW08 400 lg DKOL 90° DKOL	links
21	277155800	Hydraulikschlauch NW08 - 420 lg - 350bar VW 0° DKOL 45° DKOL 90°	rechts
22	277039200	hydraulic hose NW08 650 lg DKOL 90° DKOL	bis Fg.Nr. 8S1949
22	277115200	hydraulic hose NW08 750 lg DKOL 90° DKOL	links - ab Fg.Nr. 8S1950
22	277259700	Hydraulikschlauch NW08 - 630 lg - 350bar DKOL 90° DKOL	rechts - ab Fg.Nr. 8S1950
23	212008800	Spacer ø 12-15 EPDM	






ROPA Maus 6

Hydraulics - pickup

E9122303 - 09.02 - Pickup - drive of pickup rollers

Position	Number	Name	Description
1	272015801	hydraulic motor TMT 500, sensor mounting TMT 500	
2	272014900	sealing set for TMT 250 TMT	
3	420056500	hydraulic fitting GE 25 SR 3/4" 25 SR 3/4" ED	
4	277144100	Hydraulic hose NW20 - 740 lg - 420bar DKOS 90° 25S CES 25S	
5	277144200	hydraulic hose NW20 - 660 lg - 420bar	
6	285058300	Hydraulikrohr ø25*3846 mm	
7	285058400	Hydraulikrohr ø25*3881 mm	
8	278002000	pair of clamps ø 25 ø 25	
9	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
10	278000304	Weld-on plate Gr.3 - 50* 30 - 33 ZN	
11	414023100	M 6*105 hexagon bolt D 931 steel 8.8 Zn M 6*105 DIN931, Stahl 8.8 ZN	
12	100255800	Unterlegplatte APK 3 10 mm	
13	285060400	Hydraulikrohr ø25*3881 mm	
14	285060300	Hydraulikrohr ø25*3846 mm	
15	277143500	Hydraulikschlauch NW20 - 1000 lg - 420bar CES 25S CES 25S	
16	414011400	M 6*50 hexagon bolt D 931 steel 8.8 ZN M 6* 50 DIN931, Stahl 8.8 ZN	
17	285058500	Hydraulikrohr ø25*1522 mm	
18	285059000	Hydraulikrohr ø25*1771 mm	
19	414025300	M 6*40 hexagon bolt D 931 steel 8.8 Zn M 6* 40 DIN931, Stahl 8.8 ZN	
20	277148200	Hydraulikschlauch NW20 - 870 lg - 420bar CES 25S CES 25S	
21	420067200	Hydraulikverschraubung W 25 S	
22	285059100	Hydraulikrohr ø25* 335 mm	
23	285059200	Hydraulikrohr ø25*1466 mm	






ROPA Maus 6

Hydraulics - pickup

E9122304 - 09.03 - Pickup - drive conveyor rollers

Position	Number	Name	Description
1	272013301	Hydraulic motor OMT 315, sensor mounting OMT 315	
2	272006800	sealing set for OMT OMT	
3	420028600	hydraulic fitting GE 18 LR 3/4" 18 LR 3/4" ED	
4	277152400	hydraulic hose NW16 - 420 lg - 350bar DKOL 45° CEL	
5	285068400	Hydraulikrohr ø18*3777 mm	
6	285068300	Hydraulikrohr ø18*3708 mm	
7	285069200	Hydraulikrohr ø18*3777 mm	
8	285069100	Hydraulikrohr ø18*3733 mm	
9	277125300	hydraulic hose NW16 1000lg 250bar CEL CEL	
10	285017800	Hydraulikrohr ø18*1508 mm	
11	285017900	hydraulic pipe d18 1490mm ø18*1490 mm	
12	278001800	pair of clamps ø 18 ø 18	
13	278000800	cover plate size 2 Gr.2 - 40* 30 - 26 STD.	
14	278000204	Weld-on plate Gr.2 - 42* 30 - 26 ZN	
15	414011200	M 6*100 hexagon bolt D 931 steel 8.8 ZN M 6*100 DIN931, Stahl 8.8 ZN	
16	414070400	M 6*45 hexagon bolt D 931 steel 8.8 ZN M 6* 45 DIN931, Stahl 8.8 ZN	
17	100255900	Unterlegplatte APK 2 10 mm	nach Bedarf
18	414011100	M 6*35 hexagon bolt D 931 steel 8.8 ZN M 6* 35 DIN931, Stahl 8.8 ZN	
19	277165900	Hydraulikschlauch NW16 - 780 lg - 350bar CEL CEL	
20	285068900	Hydraulikrohr ø18*1466 mm	
21	285069000	Hydraulikrohr ø18*1544 mm	





ROPA Maus 6

Hydraulics - pickup

E9122305 - 09.04 - Pickup - drive of pinch rollers

Position	Number	Name	Description
1	272014401	Hydraulic motor OMT 250, sensor mounting OMT 250	
2	272006800	sealing set for OMT OMT	
3	270062100	Connection unit 1" 6000 PSI	
4	412020900	O ring 30*2.5 30* 2,5 NBR 90	
5	414086000	M 10*50 socket head screw D 912 steel 8.8 Zn M10* 50 DIN912, Stahl 8.8 ZN	
6	285057400	Hydraulikrohr ø30*3677 mm	
7	285057500	Hydraulikrohr ø30*3647 mm	
8	420050600	profile sealing ring 1 " PU 1" PU	
9	278008200	pair of clamps ø 30, drillings ø 8.5 drilled ø 30 2x ø 8,5	
10	278001000	cover plate size 4 Gr.4 - 57* 30 - 40 STD.	
11	414011500	M 6*55 hexagon bolt D 931 steel 8.8 ZN M 6* 55 DIN931, Stahl 8.8 ZN	
12	278000404	Weld-on plate Gr.4 - 60* 30 - 40 ZN	
13	277143600	Hydraulikschlauch NW25 - 1090 lg - 420bar CES 30S CES 30S	
14	285061200	Hydraulikrohr ø30*1730 mm	
15	285017300	Hydraulikrohr ø30*1620 mm	
16	414070400	M 6*45 hexagon bolt D 931 steel 8.8 ZN M 6* 45 DIN931, Stahl 8.8 ZN	
17	277146400	Hydraulikschlauch NW25 - 800 lg - 420bar CES 30S CES 30S	
18	414024800	M 12*40 socket head screw D 912 steel 8.8 ZN M12* 40 DIN912, Stahl 8.8 ZN	
19	285068800	Hydraulikrohr ø30*3647 mm	
20	285068700	Hydraulikrohr ø30*3677 mm	
21	285019400	Hydraulikrohr ø30*1461 mm	
22	285068600	Hydraulikrohr ø30* 511 mm	
23	420067100	Hydraulikverschraubung W 30 S	
24	100236204	fastening strap for hydraulic lines ZN ZN e-M4, RM5	
25	100236100	hydraulic line holder side part e-M4, RM5 PA6	
26	426007100	rubber profile 25 mm 25 mm	- 200 mm
27	414049600	M 10*85 hexagon bolt D 931 steel 8.8 Zn M10* 85 DIN931, Stahl 8.8 ZN	
28	418000300	washer ø 10.5 D 125 Zn ø 10,5 DIN125 A Stahl ZN	
29	414034900	StM 10 lock nut D 985 steel 8 ZN M10 DIN985, Stahl 8 ZN	




ROPA Maus 6

Hydraulics - pickup

E9122305 - 09.04 - Pickup - drive of pinch rollers

Position	Number	Name	Description
30	415002400	Eye bolt M10* 40 DIN444, ZN	





ROPA Maus 6

Hydraulics - pickup

E9122306 - 09.05 - Pickup - leak oil

Position	Number	Name	Description
1	272015801	hydraulic motor TMT 500, sensor mounting TMT 500	
2	272014900	sealing set for TMT 250 TMT	
3	272013301	Hydraulic motor OMT 315, sensor mounting OMT 315	
4	272006800	sealing set for OMT OMT	
5	272014401	Hydraulic motor OMT 250, sensor mounting OMT 250	
6	420005800	hydraulic fitting GE 12 LR 1/4" 12 LR 1/4" ED	
7	285020600	Hydraulikrohr ø12* 757 mm	links
7	285021800	Hydraulikrohr ø12* 757 mm	rechts
8	420018000	hydraulic fitting EVL 12 L 12 L	
9	285059300	Hydraulikrohr ø12* 488 mm	
10	285053300	Hydraulikrohr ø12* 342 mm	links
10	285054200	Hydraulikrohr ø12* 342 mm	rechts
11	420009600	hydraulic fitting W 12 L 12 L	
12	285053200	Hydraulikrohr ø12*4643 mm	
13	285054800	Hydraulikrohr ø10*1290 mm	
14	278001600	pair of clamps ø 12 ø 12	
15	278000700	cover plate size 1 Gr.1 - 36* 30 - 20 STD.	
16	414011000	M 6*30 hexagon bolt D 931 steel 8.8 ZN M 6* 30 DIN931, Stahl 8.8 ZN	
17	420007900	hydraulic fitting G 12 L 12 L	
18	285052600	Hydraulikrohr ø12*1088 mm	
19	285054000	Hydraulikrohr ø12*1088 mm	
20	277146010	Hydraulikschlauch NW10 - 350 lg - 385bar CEL CEL	
21	278001900	pair of clamps ø 22 ø 22	
22	278000900	cover plate size 3 Gr.3 - 48* 30 - 33 STD.	
23	414025300	M 6*40 hexagon bolt D 931 steel 8.8 Zn M 6* 40 DIN931, Stahl 8.8 ZN	
24	285090300	Hydraulikrohr ø12*1018 mm	
25	285090000	Hydraulikrohr ø12*2300 mm	
26	420016200	hydraulic fitting EVW 12 L 12 L	
27	285054500	Hydraulikrohr ø12*1147 mm	




ROPA Maus 6

Hydraulics - pickup

E9122306 - 09.05 - Pickup - leak oil

Position	Number	Name	Description
28	285090600	Hydraulikrohr ø12* 970 mm	
29	285054600	Hydraulikrohr ø12* 756 mm	
30	420010400	hydraulic fitting T 12 L 12 L	
31	420013700	hydraulic fitting KOR 12/10 L 12L / 10L	
32	285054700	Hydraulikrohr ø12* 636 mm	
33	100265904	Hydraulikleitungshalter ZN	
34	100240104	Hydraulikleitungshalter ZN	
35	278001500	pair of clamps ø 10 ø 10	Vorlauf A + B
36	278000104	Weld-on plate Gr.1 - 36* 30 - 20 ZN	
37	414011100	M 6*35 hexagon bolt D 931 steel 8.8 ZN M 6* 35 DIN931, Stahl 8.8 ZN	





ROPA Maus 6

Hydraulics - pickup

E9122307 - 09.08 - Pickup - pickup folding

Position	Number	Name	Description
1	276022501	hydraulic cylinder/fold pickup 130*45*560 e-M4 130*45*560 ELD, GE45==M42x2 EL1018	
2	276079100	sealing kit compl. f. cyl. 130*45 130*45	
3	420005500	hydraulic fitting GE 10 LR 3/8" 10 LR 3/8" ED	
4	270012700	hider 2 mm for ø 10 2 mm - ø 10	
5	277151800	Hydraulikschlauch NW08 - 1450 lg - 350bar DKOL 90° CEL	
6	277151900	Hydraulikschlauch NW08 - 1300 lg - 350bar DKOL 90° CEL	
7	278008900	pair of clamps ø 16 (for hose) ø 16	
8	278000800	cover plate size 2 Gr.2 - 40* 30 - 26 STD.	
9	414011800	M 6*70 hexagon bolt D 931 steel 8.8 ZN M 6* 70 DIN931, Stahl 8.8 ZN	
10	414025300	M 6*40 hexagon bolt D 931 steel 8.8 Zn M 6* 40 DIN931, Stahl 8.8 ZN	
11	285055600	Hydraulikrohr ø10* 638 mm	
12	285072700	Hydraulikrohr ø10* 489 mm	
13	278001500	pair of clamps ø 10 ø 10	
14	278000700	cover plate size 1 Gr.1 - 36* 30 - 20 STD.	
15	414011500	M 6*55 hexagon bolt D 931 steel 8.8 ZN M 6* 55 DIN931, Stahl 8.8 ZN	
16	285055300	Hydraulikrohr ø10*1203 mm	
17	285072800	Hydraulikrohr ø10*1084 mm	
18	278000204	Weld-on plate Gr.2 - 42* 30 - 26 ZN	
19	212008800	Spacer ø 12-15 EPDM	